




# **LAZER Z<sup>®</sup> DS-SERIES**

Model No. LZS902DKU72R00—Serial No. 316000000 and Up

Picture below may not reflect actual product.



# **Parts Manual**

# Ordering Replacement Parts

To order replacement parts, please supply the part number, the quantity, and the description of each part desired.

## Understanding Reference Numbers

Each identified part in an illustration has a reference number. The reference number for a part also appears in the parts list, along with other information about the part.

This catalog uses two special reference number formats, one to indicate parts in a service assembly and another to indicate the quantity of a given part in an illustration.

## Service Assembly Reference Numbers

Parts in service assemblies have reference numbers in the form a:b. The a represents the reference number of the entire service assembly and the b represents a sequential number unique to each part within the service assembly.

For example, a wheel assembly might be identified by reference number 6, the tire by 6:1, the valve by 6:2, and the wheel by 6:3. When you order the assembly identified by reference number 6, you receive all parts identified by reference numbers 6:1, 6:2, and 6:3. However, you may also order any part individually. Reference numbers of this type appear in illustration and in parts lists.

## Reference Numbers Indicating Quantity

In an illustration, if a reference number indicates more than one part, the reference number has the form nX y. The n represents the quantity of the part, the X is the multiplication symbol, and the y represents the reference number.

For example, in an illustration, the reference number 2X 37 means that two of the parts identified by reference number 37 are indicated.

# List of Abbreviations

|                                              |                                                |                                          |
|----------------------------------------------|------------------------------------------------|------------------------------------------|
| <b>AR:</b> as required                       | <b>HLH:</b> hex lag head                       | <b>PTH:</b> phillips truss head          |
| <b>ASM:</b> assembly                         | <b>HOC:</b> height-of-cut                      | <b>PTO:</b> power-take-off               |
| <b>BBC:</b> blade brake control              | <b>HP:</b> high pressure                       | <b>RH:</b> right hand                    |
| <b>BHTF:</b> button head thread forming      | <b>HSBH:</b> hex socket button head            | <b>ROPS:</b> roll-over protection system |
| <b>CARR:</b> carriage                        | <b>HSFH:</b> hex socket flat head              | <b>RRB:</b> rear roller brush            |
| <b>CCW:</b> counter clockwise                | <b>HSH:</b> hex socket head                    | <b>SFH:</b> slotted fillister head       |
| <b>CW:</b> clockwise                         | <b>HWH:</b> hex washer head                    | <b>SHH:</b> slotted hex head             |
| <b>DEG:</b> degrees                          | <b>HWHTF:</b> hex washer head thread forming   | <b>SHWH:</b> slotted hex washer head     |
| <b>DPA:</b> Dual Point Adjustment            | <b>HYD:</b> hydraulic                          | <b>SPH:</b> slotted pan head             |
| <b>ECM:</b> electronic control module        | <b>LH:</b> left hand                           | <b>SQH:</b> square head                  |
| <b>EXT:</b> external                         | <b>LP:</b> low pressure                        | <b>SRH:</b> slotted round head           |
| <b>FH:</b> flat head                         | <b>LPG:</b> Liquefied Petroleum Gas            | <b>STD:</b> standard                     |
| <b>GA:</b> gauge                             | <b>NI:</b> nylon insert                        | <b>TAP:</b> self tapping                 |
| <b>HD:</b> heavy-duty                        | <b>NPTF:</b> national pipe thread fine         | <b>TTH:</b> torx truss head              |
| <b>HF:</b> hex flange                        | <b>PFH:</b> phillips flat head                 |                                          |
| <b>HH:</b> hex head                          | <b>PPH:</b> phillips pan head                  |                                          |
| <b>HHF:</b> hex head flange                  | <b>PPHTF:</b> phillips pan head thread forming |                                          |
| <b>HHFTF:</b> hex head flange thread forming | <b>PRH:</b> phillips round head                |                                          |
| <b>HJ:</b> hex jam                           |                                                |                                          |

# Touch Up Paint

Exmark black touch up spray paint – gloss black.

Exmark red touch up paint (spray paint – P/N 1-850337 - .6 oz liquid bottle – P/N 103-9140).




If your Exmark dealer does not have the Exmark part in stock, Exmark will get the parts to the dealer the next business day or the part will be FREE Guaranteed!! (Some restrictions apply. See your participating Exmark Dealer for details.)

## Contents

|                                                      |    |
|------------------------------------------------------|----|
| Complete Deck Assembly .....                         | 4  |
| Deck Assembly .....                                  | 6  |
| Deck W/Decals Assembly No. 116-8213 .....            | 8  |
| Idler Assembly No. 126-0853 .....                    | 10 |
| Cutter Housing Assembly No. 103-9539 .....           | 12 |
| Front Frame Assembly .....                           | 14 |
| Front Frame Assembly No. 116-9410 .....              | 16 |
| Front Frame Spring Assembly No. 103-2047 .....       | 18 |
| Wheel and Tire Assembly No. 116-8644 .....           | 20 |
| Main Frame Assembly .....                            | 22 |
| Neutral Return Assembly No. 109-3903 .....           | 24 |
| Engine Deck W/Decals Assembly No. 109-3984 .....     | 26 |
| Motion Control Assembly .....                        | 28 |
| LH Motion Control Assembly No. 109-3979 .....        | 30 |
| RH Motion Control Assembly No. 109-3978 .....        | 32 |
| Tracking Rod Assembly No. 103-3062 .....             | 34 |
| RH Hydro Connecting Link Assembly No. 103-5190 ..... | 36 |
| Park Brake Assembly .....                            | 38 |
| Seat Assembly .....                                  | 40 |
| Seat W/Tracks Assembly No. 116-8912 .....            | 42 |
| Seat Frame Single Latch Assembly .....               | 44 |
| Fuel Assembly .....                                  | 46 |
| Fuel Valve Hose Assembly .....                       | 48 |
| Engine Assembly .....                                | 50 |
| Cooling Assembly .....                               | 52 |
| Hood Assembly .....                                  | 54 |
| Latch Plate Assembly No. 109-8427 .....              | 56 |
| Mule Drive Assembly .....                            | 58 |
| Tightener Arm W/Pulley Assembly No. 116-9286 .....   | 60 |
| Hydraulic Assembly .....                             | 62 |
| Electrical Assembly .....                            | 64 |

# Complete Deck Assembly




## Complete Deck Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>        | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>          |
|-------------|--------------------|-------------|---------------------------|-------------|--------------------|-------------|-----------------------------|
| 1           | 116-9147           | 1           | ASM-Deck Complete Rd72    | 5:2         | 116-8484           | 2           | Flap-Rd Tunnel Side         |
| 2           | 103-8544           | 2           | Asm, Strut 66" And 72"    | 5:3         | 116-8485-03        | 1           | Brkt-Rd Tunnel Flap LH      |
| 2:1         | 109-1183           | 1           | Wld, Deck Strut-Std 72    | 5:4         | 116-8490-03        | 1           | Brkt-Rd Tunnel Flap RH      |
| 2:1:3       |                    | 1           | Tube And Zerk ASM ●       | 5:5         | 104-8300           | 6           | Nut-Nyloc 5/16-18 Flg       |
| 2:1:3:2     | 109-1380           | 2           | Fitting-Grease            | 5:6         | 3230-16            | 6           | Bolt-Carriage 5/16-18 X 7/8 |
| 2:2         | 3219-6             | 1           | Nut-Hex 5/8-18            | 6           | 109-6658           | 2           | Nut-Nyloc 3/8-16 Flg        |
| 2:3         | 1-633029           | 1           | Balljoint                 | 7           | 92-9252            | 2           | Bushing-Flange              |
| 3           | 3231-2             | 2           | Bolt-Carriage 3/8-16 X 1  | 8           | 3217-11            | 2           | Nut-Hex 5/8-11              |
| 4           | 1-632199-01        | 2           | Pin-Strut                 | 9           | 1-800344           | 2           | Screw-HH 5/8-11 X 6         |
| 5           | 116-8489           | 1           | ASM-Discharge Tunnel Rd72 | 10          | 3253-8             | 2           | Washer-Lock 5/8             |

● Not serviced separately

# Deck Assembly




## Deck Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>              | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>                 |
|-------------|--------------------|-------------|---------------------------------|-------------|--------------------|-------------|------------------------------------|
| 1           | 116-8213           | 1           | Deck-Rd72, W/Decals             | 21          | 103-2916           | 1           | Guard-Top                          |
| 2           | 108-5388           | 1           | Screw-HH                        | 22          | 323-23             | 3           | Screw-HH 3/8-16 X 4-1/2            |
| 3           | 104-8301           | 3           | Nut-Nyloc 3/8-16 Flg            | 23          | 126-1478           | 2           | Sheave                             |
| 4           | 98-5967            | 1           | Spacer-Wheel                    | 24          | 323-13             | 1           | Screw-HH 3/8-16 X 2 3/4            |
| 5           | 1-603299           | 4           | Roller-Scalp, Anti              | 25          | 3234-11            | 1           | Screw-HH Flg 3/8-16 X 1            |
| 6           | 109-6917           | 3           | ASM,Spindle Housing             | 26          | 116-8501           | 1           | Belt                               |
| 6:1         | 103-9504           | 1           | Guard, Bottom                   | 27          | 112-1479           | 2           | Skid-Bumper, Deck                  |
| 6:2         | 103-9539           | 1           | Asm, Cutter Housing             | 28          | 3231-7             | 1           | Bolt-Carriage 3/8-16 X 2 1/4       |
| 6:3         | 109-0916           | 1           | Nut, Spindle 7/8-14             | 30          | 98-7912            | 2           | Tube-Spanner                       |
| 6:4         | 109-6881           | 1           | Spindle,Double Spline ●         | 31          | 1-633456           | 3           | Bushing, Idler                     |
| 7           | 103-9522           | 3           | Spacer, Splined Stepped         | 32          | 3231-9             | 2           | Bolt-Carriage 3/8-16 X 2 3/4       |
| 8           | 109-6658           | 25          | Nut-Nyloc 3/8-16 Flg            | 33          | 116-4668           | 2           | Idler-Pulley, Flanged              |
| 9           | 109-2180           | 2           | Sheave,Blade Drive 9.00         | 34          | 121-1760           | 2           | Spacer                             |
| 10          | 116-8193           | 2           | Sheave-Rd, Reverse Drive        | 35          | 116-8964-01        | 1           | Guide-Rd Belt                      |
| 11          | 109-7033           | 3           | Nut-Flange 5/8-18<br>Centerlock | 36          | 116-4670           | 1           | Pulley-Idler, Flat                 |
| 12          | 103-9523           | 1           | Spacer, Splined                 | 37          | 116-9267-01        | 1           | Cover-Rd72 Reverse Drive<br>[red]  |
| 13          | 116-5171           | 2           | Blade-Extreme 2, 24.50"         | 38          | 116-0094           | 1           | Cover-Belt, RH                     |
| 13          | 103-6404           | 2           | Blade, Notched (72")            | 39          | 9266934            | 3           | Screw-HWH 5/16 X 1/2 Tf            |
| 13          | 103-6389           | 2           | Blade, Low Lift (72")           | 40          | 116-8288           | 2           | Guard-Tire Rd72                    |
| 14          | 116-8503           | 1           | Blade-Extreme 2-24.50,<br>Rd72  | 41          | 126-0414-01        | 2           | Support-Outer Flap                 |
| 14          | 116-8502           | 1           | Blade-Low Lift 24.50, Rd72      | 42          | 104-8300           | 12          | Nut-Nyloc 5/16-18 Flg              |
| 15          | 103-3037           | 3           | Bushing, Splined                | 43          | 3230-16            | 8           | Bolt-Carriage 5/16-18 X 7/8        |
| 16          | 109-9220           | 3           | Screw-Sems 1/2-20 X 2.19        | 44          | 3274-55            | 4           | Screw-Button Head 5/16-18<br>X 3/4 |
| 17          | 109-6938           | 1           | Cover-Belt, LH                  | 45          | 116-2253           | 2           | Plug,Black Nylon 1.75              |
| 18          | 126-0853           | 1           | Idler ASM                       | 46          | 3231-2             | 2           | Bolt-Carriage 3/8-16 X 1           |
| 19          | 108-1921           | 1           | Spring-Torsion                  | 47          | 1-633031-01        | 2           | Plate,Deck Strut                   |
| 20          | 302-19             | 1           | Zerk-1/4-28 Str                 | 48          | 116-9702           | 1           | Belt-V                             |

● Apply Mobil HTS grease (P/N 103-5217 1.5 oz packet) (or a food-grade anti-seize). See operator s manual for locations.

# Deck W/Decals Assembly No. 116-8213




## Deck W/Decals Assembly No. 116-8213 (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>       |
|-------------|--------------------|-------------|--------------------------|
| 2           | 126-6599           | 2           | Decal-Danger Thrown Obj  |
| 3           | 109-6036           | 1           | Decal-Roller, Anti-Scalp |
| 4           | 116-8283           | 1           | Decal-Bolt Torque        |
| 5           | 112-9028           | 2           | Decal-Missing, Cover     |

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>             |
|-------------|--------------------|-------------|--------------------------------|
| 6           | 116-8598           | 1           | Decal,Belt Routing Rd<br>Decks |
| 7           | 126-6597           | 1           | Decal, 72Rd                    |

# Idler Assembly No. 126-0853




## Idler Assembly No. 126-0853 (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i> |
|-------------|--------------------|-------------|--------------------|
| 1           |                    | 1           | Idler-Deck ●       |
| 2           | 106-7159           | 2           | O-Ring             |
| 3           | 32120-10           | 2           | Ring-Retaining     |
| 4           | 103-3504           | 2           | Bearing-Spherical  |

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i> |
|-------------|--------------------|-------------|--------------------|
| 5           | 108-6544           | 1           | Spacer             |
| 6           | 103-3505           | 1           | Seal-Double Lip    |
| 7           | 103-3506           | 1           | Seal-Single Lip    |

● Not serviced separately

Cutter Housing Assembly No. 103-9539




## Cutter Housing Assembly No. 103-9539 (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>     |
|-------------|--------------------|-------------|------------------------|
| 1           | 92-5581            | 1           | Ring-Retaining         |
| 2           | 109-2064           | 1           | Asm, Bearing W/O-Rings |
| 3           | 103-5895           | 4           | O-Ring                 |

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>   |
|-------------|--------------------|-------------|----------------------|
| 4           | 103-9506           | 1           | Spacer, Bearing      |
| 5           | 109-0764           | 1           | Asm, Housing W/Studs |


# Front Frame Assembly



## Front Frame Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>               | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>                              |
|-------------|--------------------|-------------|----------------------------------|-------------|--------------------|-------------|-------------------------------------------------|
| 1           | 116-9410           | 1           | ASM-Frt Frm 72Rd                 | 23          | 323-11             | 1           | Screw-HH 3/8-16 X 2 1/4                         |
| 2           | 3296-51            | 2           | Nut-Nyloc 3/4-10                 | 24          | 1-633082           | 1           | Bushing                                         |
| 3           | 116-8644           | 2           | ASM-Whl And Tire                 | 25          | 116-5584           | 1           | Pin-HOC                                         |
| 4           | 3274-18            | 2           | Screw-Sh 5/16-18 X 1 1/4         | 26          | 116-9124           | 1           | Plate-Lift, Deck W/Decal                        |
| 5           | 3218-2             | 2           | Nut-Jam 5/16-18                  | 26:2        | 126-4664           | 1           | Decal-Height Of Cut                             |
| 6           | 1-543509           | 4           | Cone-Bearing Tapered<br>Roller   | 27          | 109-1903           | 1           | Asm, Floorpan<br>(103-8274-01) W/Decals         |
| 7           | 1-633508           | 6           | Washer-Spring Disc               | 27:2        | 126-6574           | 1           | Decal, Lazer Model                              |
| 8           | 116-8400-01        | 2           | Wld-Caster Fork 15               | 27:3        | 132-0871           | 1           | Decal-Danger                                    |
| 10          | 103-2047           | 2           | Front Frame Spring ASM           | 28          | 3230-1             | 4           | Bolt-Carriage 5/16-18 X 3/4                     |
| 11          | 3256-29            | 4           | Washer-7/8 Sae                   | 29          | 32128-20           | 4           | Nut-Whizlock 5/16-18                            |
| 12          | 32151-103          | 5           | E-Ring                           | 30          | 109-1902           | 1           | Asm, Floorpan, Liftout<br>(103-8276-01) W/Decal |
| 13          | 109-4488           | 1           | ASM,Deck Lift Handle             | 30:2        | 126-4748           | 1           | Decal-Guard                                     |
| 13:2        | 1-633325           | 1           | Spring-Compression               | 31          | 98-5975            | 12          | Washer-Spring Disc 3/8                          |
| 13:3        | 103-2084           | 1           | Lift Lever/Grip ASM              | 32          | 323-7              | 12          | Screw-HH 3/8-16 X 1 1/4                         |
| 13:3:2      | 1-633295           | 1           | Grip-Lever, Lift                 | 33          | 103-9792           | 2           | Deck Chain ASM                                  |
| 13:4        | 109-4487           | 1           | Wld,Arm Deck Lift                | 33:1        | 1-633447           | 1           | Chain-Lift, Deck                                |
| 13:5        | 3256-24            | 1           | Washer-3/8 Sae                   | 33:2        | 103-1898           | 2           | Screw-HH 7/16-20 X 1-5/8<br>Sp                  |
| 13:6        | 3296-39            | 1           | Nut-Nyloc 3/8-16                 | 33:3        | 32128-37           | 2           | Nut-Whizlock 7/16-14                            |
| 14          | 1-633068           | 2           | Arm-Lift, Deck                   | 34          | 103-9817           | 2           | Deck Chain ASM                                  |
| 15          | 103-1918           | 2           | Bushing                          | 34:1        | 1-633447           | 1           | Chain-Lift, Deck                                |
| 16          | 323-29             | 2           | Screw-HH 3/8-16 X 1 3/8          | 34:2        | 103-1898           | 2           | Screw-HH 7/16-20 X 1-5/8<br>Sp                  |
| 17          | 3296-39            | 3           | Nut-Nyloc 3/8-16                 | 34:3        | 32128-37           | 2           | Nut-Whizlock 7/16-14                            |
| 18          | 116-9122-01        | 1           | Plate-Deck Lift Notched<br>Outer | 35          | 32128-37           | 8           | Nut-Whizlock 7/16-14                            |
| 19          | 323-5              | 1           | Screw-HH 3/8-16 X 7/8            | 36          | 126-4345           | 1           | Decal-Patent Ttco.Com                           |
| 20          | 3290-357           | 15          | Nut-Whizlock 3/8-16              |             |                    |             |                                                 |
| 21          | 323-9              | 2           | Screw-HH 3/8-16 X 1 3/4          |             |                    |             |                                                 |
| 22          | 109-3193           | 1           | Stop, Deck Height                |             |                    |             |                                                 |


Front Frame Assembly No. 116-9410



## Front Frame Assembly No. 116-9410 (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>            | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>         |
|-------------|--------------------|-------------|-------------------------------|-------------|--------------------|-------------|----------------------------|
| 2           | 103-4882           | 2           | Cap-Grease                    | 7           | 103-9740-01        | 1           | Weldmt, Front Lift         |
| 3           | 116-5647           | 2           | Seal-Grease                   |             |                    |             | W/Lever(RH)                |
| 4           | 1-811010           | 2           | Plug                          | 8           | 1-523157           | 2           | Washer                     |
| 5           | 32151-29           | 2           | Ring-Retaining                | 9           | 1-543508           | 4           | Cup-Bearing Tapered Roller |
| 6           | 103-9741-01        | 1           | Weldmt, Front Lift Shaft (LH) |             |                    |             |                            |

Front Frame Spring Assembly No. 103-2047




## Front Frame Spring Assembly No. 103-2047 (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>      |
|-------------|--------------------|-------------|-------------------------|
| 1           | 1-633096           | 1           | Rod-Lift, Deck          |
| 2           | 1-633441           | 2           | Swivel-Deck Mount, Rear |
| 3           | 3217-11            | 3           | Nut-Hex 5/8-11          |

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>   |
|-------------|--------------------|-------------|----------------------|
| 4           | 3218-6             | 3           | Nut-Jam 5/8-11       |
| 5           | 3256-7             | 2           | Washer-5/8 Std       |
| 6           | 1-643015           | 1           | Spring-Support, Deck |

Wheel and Tire Assembly No. 116-8644



## Wheel and Tire Assembly No. 116-8644 (continued)


| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>             |
|-------------|--------------------|-------------|--------------------------------|
| 1           | 103-2768           | 2           | Guard-Seal                     |
| 2           |                    | 1           | ASM-Whl And Tire ●             |
| 2:1         | 1-633585           | 2           | Bearing-Cone Tapered<br>Roller |
| 2:2         | 103-0063           | 2           | Seal-Double Lip                |
| 2:3         | 103-3051           | 1           | Spacer-Nut ■                   |

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>        |
|-------------|--------------------|-------------|---------------------------|
| 2:4         | 126-5361           | 1           | Axle ASM-Caster           |
| 2:5         |                    | 1           | ASM-Wheel Tire 15X6.0-6 ● |
| 2:5:1       | 1-633584           | 2           | Bearing-Cup               |
| 3           | 325-39             | 1           | Screw-HH 1/2-13 X 9 1/2   |
| 4           | 3296-23            | 1           | Nut-Nyloc 1/2-13          |

● Not serviced separately

■ Use Pro-Lock, Nut Type (P/N 1-840022, .5ml tube) on threads.

# Main Frame Assembly




## Main Frame Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>                         | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>             |
|-------------|--------------------|-------------|--------------------------------------------|-------------|--------------------|-------------|--------------------------------|
| 1           | 109-3984           | 1           | Asm, Engine Deck<br>(109-3985-03) W/Decals | 12          | 3256-14            | 6           | Washer-#10 Std                 |
| 2           | 1-513658           | 2           | Bumper                                     | 13          | 3296-2             | 6           | Nut-Nyloc #10-24               |
| 3           | 1-633964-03        | 1           | Stop-Brake, Park                           | 14          | 109-2365           | 4           | Bumper-Rubber                  |
| 4           | 323-6              | 2           | Screw-HH 3/8-16 X 1                        | 15          | 3296-42            | 2           | Nut-Nyloc 1/4-20               |
| 5           | 3290-357           | 2           | Nut-Whizlock 3/8-16                        | 16          | 109-0060           | 1           | Kit, Xp Rops ●                 |
| 6           | 109-2075           | 1           | Asm, Console(103-8273-03)<br>W/Decals      | 20          | 103-4553           | 2           | Pin-Fold, ROPS                 |
| 6:2         | 126-4848           | 1           | Decal-Fuel                                 | 21          | 325-13             | 2           | Screw-HH 1/2-13 X 3 1/4        |
| 6:3         | 126-4755           | 1           | Decal-Console LH                           | 22          | 32128-23           | 2           | Nut-Hex 1/2-13 Side Lock       |
| 6:4         | 126-4756           | 1           | Decal-Console RH                           | 23          | 98-5975            | 8           | Washer-Spring Disc 3/8         |
| 7           | 3256-23            | 6           | Washer-5/16 Sae                            | 24          | 3296-73            | 2           | Nut-Nyloc 1/4-20               |
| 8           | 322-3              | 6           | Screw-HH 5/16-18 X 3/4                     | 25          | 107-3069           | 1           | Decal-Warning, Folding<br>ROPS |
| 9           | 103-3666           | 1           | Asm, Cubby                                 | 26          | 103-7599-03        | 1           | Guard                          |
| 10          | 1-803075           | 2           | Screw-Truss Head #10-24<br>X 3/4           | 27          | 109-2394           | 2           | U-Bolt                         |
| 11          | 32122-28           | 4           | Screw-Truss HD #10-24 X 1                  | 28          | 104-8301           | 4           | Nut-Nyloc 3/8-16 Flg           |
|             |                    |             |                                            | 29          | 323-6              | 8           | Screw-HH 3/8-16 X 1            |
|             |                    |             |                                            | 30          | 3290-357           | 8           | Nut-Whizlock 3/8-16            |

● Includes seat belt assembly

# Neutral Return Assembly No. 109-3903




## Neutral Return Assembly No. 109-3903 (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>     |
|-------------|--------------------|-------------|------------------------|
| 1           | 1-303105           | 1           | Yoke-Adjustable        |
| 2           | 1-603737           | 1           | Bolt-Return, Neutral   |
| 3           | 1-603807           | 1           | Spring-Return, Neutral |
| 4           | 109-3769           | 1           | Bushing-Nylon, Flanged |

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i> |
|-------------|--------------------|-------------|--------------------|
| 5           | 3219-2             | 3           | Nut-Hex            |
| 6           | 3230-23            | 1           | Screw-CARR         |
| 7           | 3256-2             | 1           | Washer-Flat        |
| 8           | 109-3908           | 1           | Tab-Adjustment     |

# Engine Deck W/Decals Assembly No. 109-3984




## Engine Deck W/Decals Assembly No. 109-3984 (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>              |
|-------------|--------------------|-------------|---------------------------------|
| 2           | 126-4743           | 1           | Decal-Console Center            |
| 3           | 126-4859           | 1           | Decal-Rotating Device<br>Hazard |
| 10          | 32128-20           | 3           | Nut-Whizlock 5/16-18            |

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>    |
|-------------|--------------------|-------------|-----------------------|
| 20          | 109-3903           | 2           | Neutral Return ASM    |
| 21          | 1-543963           | 1           | Bumper-Rubber         |
| 22          | 63-8410            | 1           | Washer                |
| 23          | 117-2718           | 1           | Decal-Arrester, Spark |

# Motion Control Assembly




## Motion Control Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>                  | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>       |
|-------------|--------------------|-------------|-------------------------------------|-------------|--------------------|-------------|--------------------------|
| 1           | 109-2339           | 2           | Damper-Control, Motion              | 10          | 323-6              | 4           | Screw-HH 3/8-16 X 1      |
| 2           | 1-633102           | 4           | Bearing-Flanged                     | 11          | 1-803022           | 2           | Setscrew-5/16-18 X 5/8 ● |
| 3           | 103-3457           | 1           | Handle (103-3326-03)<br>W/Grip (LH) | 12          | 322-14             | 1           | Screw-HH 5/16-18 X 3     |
| 3:2         | 103-3456           | 1           | Grip, Motion Control Handle         | 13          | 3290-357           | 8           | Nut-Whizlock 3/8-16      |
| 4           | 103-3458           | 1           | Handle (103-3327-03)<br>W/Grip (RH) | 14          | 3296-29            | 8           | Nut-Nyloc 5/16-18        |
| 4:2         | 103-3456           | 1           | Grip, Motion Control Handle         | 15          | 103-0194-03        | 2           | Arm-Control, Hydro       |
| 5           | 98-5975            | 4           | Washer-Spring Disc 3/8              | 16          | 103-1361           | 1           | Spacer                   |
| 6           | 1-403180           | 4           | Screw-HH 5/16-18 X 1 3/8<br>Special | 17          | 322-12             | 1           | Screw-HH 5/16-18 X 2 1/2 |
| 7           | 32128-20           | 6           | Nut-Whizlock 5/16-18                | 18          | 103-3062           | 1           | Tracking Rod ASM         |
| 8           | 322-6              | 2           | Screw-HH 5/16-18 X 1 1/4            | 19          | 103-5190           | 1           | RH HYD Connect Link ASM  |
| 9           | 323-4              | 8           | Screw-HH 3/8-16 X 3/4               | 20          | 103-5192           | 1           | Spacer-Control, HYD      |
|             |                    |             |                                     | 21          | 3217-6             | 4           | Nut-Hex 5/16-18          |
|             |                    |             |                                     | 22          | 109-3978           | 1           | RH Motion Control ASM    |
|             |                    |             |                                     | 23          | 109-3979           | 1           | LH Motion Control ASM    |

● Use Pro-Lock, Nut Type (P/N 1-840022, .5ml tube) on threads.

# LH Motion Control Assembly No. 109-3979




## LH Motion Control Assembly No. 109-3979 (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>     |
|-------------|--------------------|-------------|------------------------|
| 1           | 1-808280           | 1           | Pin-Clevis             |
| 2           | 103-0407           | 1           | Arm-Shaft, Control     |
| 3           | 109-3903           | 1           | Neutral Return ASM     |
| 3:1         | 1-303105           | 1           | Yoke-Adjustable        |
| 3:2         | 1-603737           | 1           | Bolt-Return, Neutral   |
| 3:3         | 1-603807           | 1           | Spring-Return, Neutral |
| 3:4         | 109-3769           | 1           | Bushing-Nylon, Flanged |
| 3:5         | 3219-2             | 3           | Nut-Hex                |

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i> |
|-------------|--------------------|-------------|--------------------|
| 3:6         | 3230-23            | 1           | Screw-CARR         |
| 3:7         | 3256-2             | 1           | Washer-Flat        |
| 3:8         | 109-3908           | 1           | Tab-Adjustment     |
| 4           | 109-3983           | 1           | Control-Motion, LH |
| 5           | 323-9              | 3           | Screw-HH           |
| 6           | 3272-5             | 1           | Pin-Cotter         |
| 7           | 3296-39            | 3           | Nut-Lock, NI       |

# RH Motion Control Assembly No. 109-3978




## RH Motion Control Assembly No. 109-3978 (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>     |
|-------------|--------------------|-------------|------------------------|
| 1           | 1-808280           | 1           | Pin-Clevis             |
| 2           | 103-0407           | 1           | Arm-Shaft, Control     |
| 3           | 109-3903           | 1           | Neutral Return ASM     |
| 3:1         | 1-303105           | 1           | Yoke-Adjustable        |
| 3:2         | 1-603737           | 1           | Bolt-Return, Neutral   |
| 3:3         | 1-603807           | 1           | Spring-Return, Neutral |
| 3:4         | 109-3769           | 1           | Bushing-Nylon, Flanged |
| 3:5         | 3219-2             | 3           | Nut-Hex                |

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i> |
|-------------|--------------------|-------------|--------------------|
| 3:6         | 3230-23            | 1           | Screw-CARR         |
| 3:7         | 3256-2             | 1           | Washer-Flat        |
| 3:8         | 109-3908           | 1           | Tab-Adjustment     |
| 4           | 109-3980           | 1           | Control-Motion, RH |
| 5           | 323-9              | 3           | Screw-HH           |
| 6           | 3272-5             | 1           | Pin-Cotter         |
| 7           | 3296-39            | 3           | Nut-Lock, NI       |

Tracking Rod Assembly No. 103-3062




## Tracking Rod Assembly No. 103-3062 (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>   |
|-------------|--------------------|-------------|----------------------|
| 1           | 1-543017           | 1           | Balljoint            |
| 2           | 103-3060           | 1           | Knob-Tracking        |
| 3           | 1-804524           | 2           | Nut-Hex 5/16-24 (LH) |
| 4           | 1-323245           | 2           | Spring-Compression   |

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>          |
|-------------|--------------------|-------------|-----------------------------|
| 5           | 1-633152           | 1           | Balljoint                   |
| 6           | 103-3065           | 1           | Link, Hydro Connecting (LH) |
| 7           | 3219-2             | 1           | Nut-Hex 5/16-24             |

**RH Hydro Connecting Link Assembly No. 103-5190**




## RH Hydro Connecting Link Assembly No. 103-5190 (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>          |
|-------------|--------------------|-------------|-----------------------------|
| 1           | 1-543017           | 1           | Balljoint                   |
| 2           | 1-633152           | 1           | Balljoint                   |
| 3           | 1-804524           | 2           | Nut-Hex 5/16-24 (LH)        |
| 4           | 103-5182           | 1           | Link, Hydro Connecting (RH) |

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i> |
|-------------|--------------------|-------------|--------------------|
| 5           | 3219-2             | 3           | Nut-Hex 5/16-24    |
| 6           | 1-323245           | 1           | Spring-Compression |


# Park Brake Assembly



## Park Brake Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>             | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>       |
|-------------|--------------------|-------------|--------------------------------|-------------|--------------------|-------------|--------------------------|
| 1           | 1-513140           | 2           | Bearing                        | 20          | 3219-3             | 2           | Nut-Hex 3/8-24           |
| 2           | 109-2230           | 2           | Spring-Compression             | 21          | 103-5243-03        | 1           | Shaft-Brake              |
| 3           | 103-0810-03        | 2           | Brake-Wide                     | 22          | 3257-42            | 2           | Key-Woodruff 5/16 X 1    |
| 4           | 103-0197           | 1           | Brake Lever And Grip ASM       | 23          | 323-58             | 2           | Bolt-HH 3/8-16 X 6 Tap   |
| 4:2         | 1-633268           | 1           | Grip-Lever                     | 24          | 103-0051           | 2           | Spacer-Retainer, Brake   |
| 5           | 103-9761           | 2           | Band, Brake                    | 25          | 323-10             | 2           | Screw-HH 3/8-16 X 2      |
| 6           | 116-1399           | 2           | Locknut                        | 26          | 1-808284           | 2           | Pin-Clevis               |
| 7           | 1-633102           | 2           | Bearing-Flanged                | 27          | 103-1117-03        | 2           | Linkage-Brake, Lower     |
| 8           | 1-633144           | 2           | Pin-Trunion                    | 28          | 3296-39            | 4           | Nut-Nyloc 3/8-16         |
| 9           | 116-2291           | 2           | Hub W/Studs ASM                | 29          | 103-0384           | 6           | Spacer                   |
| 9:2         | 1-633926           | 4           | Stud-Wheel                     | 30          | 103-0374           | 2           | Retainer-Band, Brake     |
| 10          | 323-4              | 2           | Screw-HH 3/8-16 X 3/4          | 31          | 322-9              | 6           | Screw-HH 5/16-18 X 1 3/4 |
| 11          | 325-20             | 8           | Screw-HH 1/2-13 X 6            | 32          | 32151-48           | 1           | E-Ring                   |
| 12          | 32128-49           | 8           | Nut-Whizlock 1/2-13            | 33          | 103-1708           | 1           | Rod-Brake                |
| 13          | 3290-357           | 4           | Nut-Whizlock 3/8-16            | 34          | 3218-3             | 2           | Nut-Jam 3/8-16           |
| 14          | 3256-4             | 6           | Washer-3/8 Std                 | 35          | 103-2399           | 1           | Pin-Clevis Spring 3/8    |
| 15          | 3272-10            | 4           | Pin-Cotter 1/8 X 3/4           | 36          | 1-808285           | 1           | Pin-Clevis 3/8 X 1 1/8   |
| 16          | 126-2055           | 2           | Decal-Torque, Wheel Hub<br>Lug | 37          | 109-3157           | 2           | Wheel And Tire ASM       |
| 17          | 109-5011           | 4           | Spacer-Wheel, Short            | 37:1        | 109-3156           | 1           | Rim                      |
| 18          | 109-5012           | 4           | Spacer-Wheel, Long             | 37:2        | 103-4963           | 1           | Tire                     |
| 19          | 1-633131           | 2           | Yoke-Linkage, Brake            | 38          | 242-50             | 8           | Nut-Lug 1/2-20           |

# Seat Assembly




## Seat Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>       | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>   |
|-------------|--------------------|-------------|--------------------------|-------------|--------------------|-------------|----------------------|
| 1           | 116-8912           | 1           | Kit-Suspension Seat      | 8           | 323-39             | 2           | Screw-HH 3/8-16 X 5  |
| 2           | 1-653282-03        | 2           | Stop/Spacer-Seat         | 9           | 3296-39            | 2           | Nut-Nyloc 3/8-16     |
| 3           | 109-9228           | 1           | Kit,Seat Frame Service ● | 10          | 103-5161           | 2           | Link-Stop, Seat      |
| 4           | 26-4840            | 4           | Spacer-Pin, Mounting     | 11          | 109-2759           | 2           | Link-Stop, Seat      |
| 6           | 3296-29            | 6           | Nut-Nyloc 5/16-18        | 12          | 322-5              | 6           | Screw-HH 5/16-18 X 1 |
| 7           | 32128-20           | 4           | Nut-Whizlock 5/16-18     |             |                    |             |                      |

● Includes seat belt assembly

# Seat W/Tracks Assembly No. 116-8912




## Seat W/Tracks Assembly No. 116-8912 (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>           |
|-------------|--------------------|-------------|------------------------------|
| 2           | 116-8910           | 1           | Seat Track Set               |
| 3           | 116-8908           | 1           | Cover-Back 311463Vn500       |
| 4           | 116-8909           | 1           | Cover-Cushion<br>311464Vn500 |
| 5           | 116-8911           | 1           | Knob-Adjuster                |
| 6           | 116-5659           | 1           | Cover-Suspension Bellows     |

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>    |
|-------------|--------------------|-------------|-----------------------|
| 7           | 126-2061           | 1           | Seat Belt Service Kit |
| 8           | 116-8906           | 1           | Kit-Arm Rest Set      |
| 9           | 116-8905           | 1           | Kit-Arm Rest Pads     |
| 10          | 82-2190            | 1           | Switch-Bail           |
| 11          | 116-9329           | 4           | Spacer                |

# Seat Frame Single Latch Assembly




## Seat Frame Single Latch Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>               |
|-------------|--------------------|-------------|----------------------------------|
| 1           |                    | 1           | Seat Frame Single Latch<br>ASM ● |
| 1:1         | 103-5520           | 1           | Catch-Latch, Single              |
| 1:2         | 103-5519           | 1           | Spring-Torsion, Latch            |

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>      |
|-------------|--------------------|-------------|-------------------------|
| 1:3         | 107-0075           | 1           | Bushing                 |
| 1:5         | 3256-4             | 1           | Washer-3/8 Std          |
| 1:6         | 3296-39            | 1           | Nut-Nyloc 3/8-16        |
| 1:7         | 323-9              | 1           | Screw-HH 3/8-16 X 1 3/4 |

● Not serviced separately

# Fuel Assembly



## Fuel Assembly (continued)


| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>         | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>                 |
|-------------|--------------------|-------------|----------------------------|-------------|--------------------|-------------|------------------------------------|
| 2           | 1-633349           | 6           | Spring-Compression         | 28:3        | 114-5062           | 1           | Cap-Biodiesel                      |
| 3           | 1-643115           | 4           | Tie-Cable 11.4             | 29          | 116-0142           | 1           | ASM, Fuel Tank Lxs RH              |
| 4           | 1-643312           | 1           | Clip-Loom                  | 29:1        | 1-633023           | 3           | Stud-Fuel Tank ▲                   |
| 5           | 1-805005           | 4           | Washer-Lock 5/16 Heavy     | 29:2        | 114-5062           | 1           | Cap-Biodiesel                      |
| 6           | 1-807513           | 2           | Bolt-Carriage #10-24 X 1/2 | 31          | 321-3              | 1           | Screw-HH 1/4-20 X 5/8              |
| 7           | 1-807533           | 1           | Bolt-Carriage #10-24 X 5/8 | 32          | 321-8              | 1           | Screw-HH 1/4-20 X 1 1/4            |
| 8           | 103-1193           | 1           | Clip-Loom Half             | 33          | 322-3              | 4           | Screw-HH 5/16-18 X 3/4             |
| 9           | 104-8300           | 2           | Nut-Nyloc 5/16-18 Flg      | 34          | 322-4              | 3           | Screw-HH 5/16-18 X 7/8             |
| 11          | 108-5928           | 1           | Swivel-Stop, Cable         | 35          | 353-707            | 2           | Adapter-90°                        |
| 12          | 109-0274           | 1           | Hose-Fuel Line 16"         | 36          | 2412-108           | 5           | Clamp-Hose                         |
| 14          | 109-6652           | 1           | Cable, Throttle            | 38          | 3220-1             | 2           | Nut-Jam 1/4-28                     |
| 15          | 110-0047           | 1           | Hose-Fuel Line 2 3/8"      | 39          | 3256-14            | 1           | Washer-#10 Std                     |
| 17          | 110-4104           | 1           | Hose-Fuel Line 11"         | 40          | 3256-23            | 13          | Washer-5/16 Sae                    |
| 21          | 110-8806           | 1           | Pump-Fuel                  | 41          | 3296-2             | 3           | Nut-Nyloc #10-24                   |
| 22          | 110-8817           | 1           | Bracket-Pump, Fuel         | 42          | 3296-47            | 6           | Nut-Nyloc 5/16-18 Thin             |
| 24          | 112-7836           | 1           | Filter-Inline              | 43          | 32128-20           | 1           | Nut-Whizlock 5/16-18               |
| 26          | 116-0290           | 1           | ASM,Fuel Filter            | 44          | 32128-33           | 2           | Nut-Whizlock 1/4-20                |
| 26:2        | 116-0289           | 1           | Filter,Fuel                | 45          | 92-2379            | 2           | Clamp-Hose                         |
| 26:3        | 116-1559           | 2           | Decal,Exmark Filter        | 46          | 103-6564           | 1           | Kit-Fuel Gauge                     |
| 27          |                    | 1           | ASM, Fuel Valve-Hoses ●    | 47          | 116-0968           | 1           | Fitting,Fuel Bulkhead W/O Screen ■ |
| 28          | 116-0141           | 1           | ASM,Fuel Tank Lxs LH       | 48          | 103-2784           | 1           | O-Ring                             |
| 28:1        | 1-633023           | 3           | Stud-Fuel Tank ▲           |             |                    |             |                                    |

● Not serviced separately

■ Use Pro-Lock, Nut Type (P/N 1-840022, .5ml tube) on threads.

▲ Use Pro-Lock retaining type, Part no. 1-840023 (.5cc tube) on threads.


# Fuel Valve Hose Assembly



## Fuel Valve Hose Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>       | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i> |
|-------------|--------------------|-------------|--------------------------|-------------|--------------------|-------------|--------------------|
| 1           | 116-0973           | 1           | Valve,Fuel Selector 5/16 | 7           | 110-4100           | 1           | Hose-Fuel          |
| 2           | 92-2379            | 12          | Clamp-Hose               | 8           | 115-2370           | 1           | Hose-Fuel          |
| 3           | 121-2573           | 1           | Fitting-Straight         | 9           | 108-3284           | 1           | Hose-Fuel          |
| 4           | 2412-80            | 2           | Clamp-Hose               | 10          | 110-6186           | 1           | Hose-Fuel          |
| 5           | 68-3633            | 1           | Hose-Fuel                | 11          | 109-0277           | 1           | Hose-Fuel          |
| 6           | 110-4114           | 1           | Hose-Fuel                |             |                    |             |                    |

# Engine Assembly




## Engine Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>         | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>           |
|-------------|--------------------|-------------|----------------------------|-------------|--------------------|-------------|------------------------------|
| 1           | 1-303334           | 8           | Washer-Spring Disc 5/16    | 28          | 322-3              | 6           | Screw-HH 5/16-18 X 3/4       |
| 2           | 1-603610           | 2           | Washer-Spring Disc 7/16    | 29          | 322-5              | 5           | Screw-HH 5/16-18 X 1         |
| 3           | 1-805005           | 7           | Washer-Lock 5/16 Heavy     | 30          | 33114-020          | 8           | Screw-HH M8-1.25 X 20Mm      |
| 4           | 33113-012          | 2           | Screw-HH M6-1 X 12Mm       |             |                    |             | ●                            |
| 5           | 42-9600            | 12          | Washer-Lock M10            | 31          | 323-8              | 1           | Screw-HH 3/8-16 X 1 1/2      |
| 6           | 63-7790            | 12          | Screw-HH M10-1.25 X 1.25Mm | 32          | 325-12             | 3           | Screw-HH 1/2-13 X 3          |
|             |                    |             |                            | 33          | 3212-8             | 1           | Screw-HH 7/16-20 X 2 ●       |
| 7           | 93-6099            | 4           | Washer                     | 34          | 3256-2             | 2           | Washer-1/4 Std               |
| 8           | 33113-020          | 2           | Screw-HH M6-1 X 12Mm       | 35          | 3256-23            | 1           | Washer-5/16 Sae              |
| 9           | 103-3568           | 2           | Isolator-Link              | 36          | 3256-24            | 2           | Washer-3/8 Sae               |
| 10          | 103-3745           | 1           | Ball Joint Link ASM        | 37          | 99-5107            | 3           | Nut-Lock 1/2-13              |
| 10:1        | 103-0608           | 1           | Balljoint                  | 38          | 3296-39            | 1           | Nut-Nyloc 3/8-16             |
| 10:2        | 103-3567           | 1           | Link, A-T                  | 40          | 116-2641-03        | 1           | Flange ASM                   |
| 10:3        | 3220-3             | 1           | Nut-Jam 3/8-24             | 41          | 116-4433           | 3           | Isolator,Engine              |
| 11          | 33114-080          | 1           | Screw-HH M8-1.25 X 80Mm    | 42          | 116-2725-03        | 2           | Flange-11GA                  |
| 12          | 322-23             | 1           | Screw-HH 5/16-18 X 3 3/4   | 43          | 116-5296-03        | 1           | Clutch Link                  |
| 13          | 116-4514-03        | 1           | Engine Mount-LH            | 44          | 1-633630           | 2           | Grommet                      |
| 14          | 116-4513-03        | 1           | Engine Mount-RH            | 45          | 116-5295           | 1           | Clutch Standoff              |
| 15          | 116-2638-03        | 1           | Bracket,Engine Mount       | 46          | 1-633545           | 1           | Spacer                       |
| 16          | 109-8528           | 1           | Asm, A-T Link              | 47          | 104-8300           | 9           | Nut-Nyloc 5/16-18 Flg        |
| 16:1        | 103-0608           | 1           | Balljoint                  | 48          | 322-11             | 1           | Screw-HH 5/16-18 X 2 1/4     |
| 16:2        | 103-7544           | 1           | Link, Rear A-T Axial       | 49          | 3235-22            | 1           | Screw-HH, Lock               |
| 16:3        | 3220-3             | 1           | Nut-Jam 3/8-24             | 50          | 3255-8             | 1           | Washer-Lock 5/16 (Ext-Tooth) |
| 17          | 109-9873           | 1           | Shaft,Kubota 902 Stub      |             |                    |             |                              |
| 18          | 103-7556           | 1           | Hub, Pump Drive            | 51          | 119-4866           | 2           | Screw-HH ●                   |
| 19          | 116-5089-03        | 1           | Wld,Flywheel Cover         | 52          | 32128-20           | 4           | Nut-Whizlock 5/16-18         |
| 20          | 116-7108           | 1           | Muffler Kit - Kubota       | 53          | 323-7              | 1           | Screw-HH 3/8-16 X 1 1/4      |
| 21          | 3296-6             | 2           | Nut-Nyloc 3/8-24           | 54          | 98-5975            | 1           | Washer-Spring Disc 3/8       |
| 22          | 126-0723           | 1           | Bracket, Kd Throttle       | 55          | 103-4718           | 1           | Sheave, Engine               |
| 23          | 116-6179-03        | 1           | Support-Muffler            | 56          | 1-543610           | 1           | Washer                       |
| 24          | 109-0789           | 1           | Fan                        | 57          | 1-807014           | 1           | Key-Woodruff 1/4 X 7/8       |
| 25          | 109-1211           | 1           | Solenoid, Fuel.            | 58          | 109-2901           | 1           | Belt                         |
| 26          | 116-5142           | 3           | Washer                     | 59          | 33014-00           | 4           | Nut-Hex M8-1.25              |
| 27          | 116-1610           | 1           | Clutch, Cms250 Kd          | 60          | 99-8343            | 1           | Gasket-Muffler               |

● Use Pro-Lock, Nut Type (P/N 1-840022, .5ml tube) on threads.


# Cooling Assembly



## Cooling Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>                                  | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>               |
|-------------|--------------------|-------------|-----------------------------------------------------|-------------|--------------------|-------------|----------------------------------|
| 1           | 116-7124           | 1           | Tank, Overflow W/Cap                                | 27          | 103-7597           | 1           | Hose, Air Intake                 |
| 2           | 116-7204           | 1           | Hose, .313 I.D.X 25.0<br>Reinforced Epdm            | 28          | 2412-42            | 1           | Clamp-Hose                       |
| 3           | 116-7245           | 1           | Hose, .500 I.D. X 30" Epdm                          | 29          | 103-9222-03        | 1           | Bracket, Rear Cover              |
| 4           | 109-3142           | 1           | Hose, Radiator                                      | 30          | 103-9206-03        | 1           | Bracket, Front Cover             |
| 5           | 103-7532           | 1           | Hose, Radiator                                      | 31          | 103-9221           | 1           | Panel, Side                      |
| 6           | 2412-34            | 4           | Clamp-Hose                                          | 32          | 103-1479-03        | 1           | Bumper, Rear                     |
| 7           | 109-3179-03        | 2           | Wld, Hinge Plate                                    | 33          | 116-0136           | 1           | ASM,Panel W/ Decals Lxs<br>Lc Kd |
| 8           | 116-6274           | 1           | Fan- Electric                                       | 33:2        | 109-0023           | 2           | Grommet                          |
| 9           | 109-8427           | 1           | ASM-Latch Plate                                     | 33:3        | 74-5950            | 2           | Latch                            |
| 10          | 103-9207           | 1           | Rod, Prop                                           | 33:4        | 126-4760           | 1           | Decal-Belt Pump Routing          |
| 11          | 322-10             | 1           | Screw-HH 5/16-18 X 2                                | 33:5        | 126-4761           | 1           | Decal-Service Aid                |
| 12          | 3253-3             | 4           | Washer-Lock 1/4                                     | 34          | 109-8432           | 1           | Pin, Latch                       |
| 13          | 103-6643           | 1           | Spring                                              | 35          | 3234-47            | 4           | Screw-HH Flg 5/16-18 X 3/4       |
| 14          | 3296-29            | 1           | Nut-Nyloc 5/16-18                                   | 36          | 3256-23            | 32          | Washer-5/16 Sae                  |
| 15          | 109-0917           | 1           | Nut-Push 5/16                                       | 37          | 322-4              | 12          | Screw-HH 5/16-18 X 7/8           |
| 16          | 116-6394           | 1           | Hood ASM, D902                                      | 38          | 32128-20           | 16          | Nut-Whizlock 5/16-18             |
| 17          | 103-9218           | 2           | Pin, Cover Pivot                                    | 39          | 321-6              | 4           | Screw-HH 1/4-20 X 1              |
| 18          | 32120-18           | 2           | E-Ring                                              | 40          | 3256-22            | 10          | Washer-1/4 Sae                   |
| 19          | 109-8546-03        | 1           | Wld, Rear Radiator Mount                            | 41          | 32128-33           | 6           | Nut-Whizlock 1/4-20              |
| 20          | 109-2804           | 1           | Asm, Front Radiator Mount<br>(103-7582-03) W/Decals | 42          | 321-3              | 6           | Screw-HH 1/4-20 X 5/8            |
| 20:2        | 119-0217           | 1           | Decal-Danger                                        | 43          | 109-2950           | 4           | Mount, Fan                       |
| 21          | 103-7558-03        | 1           | Rib, Top                                            | 44          | 1-643009           | 1           | Clamp-Hose                       |
| 22          | 103-7579-03        | 1           | Rib, Bottom                                         | 45          | 322-6              | 1           | Screw-HH 5/16-18 X 1 1/4         |
| 23          | 116-4822-03        | 1           | Bracket, Bottle-Hydro Tank                          | 46          | 322-3              | 14          | Screw-HH 5/16-18 X 3/4           |
| 24          | 109-3257           | 1           | Asm, Air Cleaner Brkt<br>W/Decals                   | 47          | 3253-4             | 8           | Washer-Lock 5/16                 |
| 24:2        | 106-5517           | 1           | Decal-Warning, Hot Surface                          | 48          | 1-303334           | 1           | Washer-Spring Disc 5/16          |
| 25          | 103-1058           | 1           | Bracket-Filter, Air                                 | 49          | 107069             | 4           | Nut-Retainer-Panel 1/4-20        |
| 26          | 103-5178           | 1           | Asm-Canister Air Filter<br>W/Hood                   | 50          | 32144-70           | 6           | Screw-HWH 5/16-18 X 3/4<br>Tf    |
| 26:1        | 103-1326           | 1           | Filter-Air, Safety                                  | 51          | 116-5303           | 1           | Radiator ASM, AI D902            |
| 26:2        | 103-1327           | 1           | Filter-Air                                          | 51:2        | 99-8551            | 1           | Plug-Pipe                        |
| 26:3        | 100-2436           | 1           | Asm-Hood Air Intake<br>W/Clamp                      | 51:3        | 1-643161           | 1           | Cap-Radiator                     |
| 26:4        | 103-1060           | 1           | Cover-Filter, Air                                   | 52          | 116-6296-03        | 1           | Fan Shroud,16                    |
| 26:4:1      | 99-3174            | 2           | Clip-Cleaner, Air                                   | 53          | 1-633396           | 3           | Clip-Loom 5/8                    |
| 26:4:2      | 109-2820           | 1           | Ejector-Air Cleaner                                 | 54          | 92-2379            | 2           | Clamp-Hose                       |
|             |                    |             |                                                     | 55          | 110-6242           | 1           | Clamp-Hose                       |
|             |                    |             |                                                     | 56          | 322-5              | 2           | Screw-HH 5/16-18 X 1             |
|             |                    |             |                                                     | 61          | 126-6882           | 2           | Decal, Ds Series                 |


# Hood Assembly



## Hood Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i> | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>     |
|-------------|--------------------|-------------|--------------------|-------------|--------------------|-------------|------------------------|
| 1           | 116-5325           | 1           | Seal-Trim 54.6     | 12          | 321-3              | 6           | Screw-HH 1/4-20 X 5/8  |
| 2           | 1-643188           | 2           | Latch-Rubber       | 13          | 32128-33           | 6           | Nut-Whizlock 1/4-20    |
| 3           | 1-803072           | 18          | Rivet              | 14          | 923786             | 4           | Rivet                  |
| 4           | 103-9201-03        | 1           | Screen, Radiator   | 15          | 126-6992           | 1           | Decal-Exmark           |
| 6           | 116-5323-03        | 1           | Mount-Seal Rear    | 16          | 1-303435           | 4           | Washer-Spring Disc 1/4 |
| 7           | 116-5302-03        | 1           | Mount-Seal Front   | 17          | 116-5319-03        | 1           | Plate-Seal Backup      |
| 8           | 116-5160           | 1           | Seal-Radiator Hood | 18          | 1-803073           | 4           | Rivet-Pop              |
| 9           | 103-9226-03        | 1           | Wld, Hinge         | 19          | 116-5348           | 1           | Seal-Front Screen      |
| 10          | 116-5324-03        | 2           | Mount-Seal Side    | 20          | 116-5349           | 1           | Seal-Rear Screen       |
| 11          | 3256-22            | 6           | Washer-1/4 Sae     | 21          | 3256-14            | 4           | Washer-#10 Std         |


Latch Plate Assembly No. 109-8427



## Latch Plate Assembly No. 109-8427 (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>                          | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>        |
|-------------|--------------------|-------------|---------------------------------------------|-------------|--------------------|-------------|---------------------------|
| 1           | 109-8539           | 1           | Asm, Latch Plate W/Decals                   | 5           | 3256-3             | 1           | Washer-5/16 Std           |
| 1:3         | 120-0625           | 1           | Decal-Warning, Pinch Point                  | 6           | 32128-25           | 1           | Nut-Hex 5/16-18 Side Lock |
| 2           | 112-6950           | 1           | Bolt-Carriage 5/16-18 X 1<br>3/8 Short Neck | 7           | 109-8430           | 1           | Spring                    |
| 3           | 107-0075           | 1           | Bushing                                     | 8           | 249-40             | 2           | Keeper                    |
| 4           | 109-8431           | 1           | Hook, Latch                                 | 9           | 923786             | 4           | Rivet                     |
|             |                    |             |                                             | 10          | 1-513658           | 2           | Bumper                    |


# Mule Drive Assembly



## Mule Drive Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>      | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>           |
|-------------|--------------------|-------------|-------------------------|-------------|--------------------|-------------|------------------------------|
| 1           | 103-2627           | 1           | Bushing-Idler           | 9           | 109-8866           | 1           | Bushing, Plastic             |
| 2           | 98-5975            | 1           | Washer-Spring Disc 3/8  | 10          | 104-8301           | 1           | Nut-Nyloc 3/8-16 Flg         |
| 3           | 323-12             | 2           | Screw-HH 3/8-16 X 2 1/2 | 11          | 116-6316           | 1           | Spring-Extension             |
| 4           | 1-633166           | 1           | Pulley-Idler            | 12          | 116-0932           | 1           | Dampener, Spring             |
| 5           | 109-6658           | 3           | Nut-Nyloc 3/8-16 Flg    | 13          | 116-9300           | 2           | Spacer-.39Idx.88Odx.88L      |
| 7           | 116-9286           | 1           | ASM-Ttnr Arm W/Pulley   | 14          | 116-9280           | 1           | Damper-Mule Belt Drive       |
| 8           | 109-8754           | 1           | Spacer                  | 15          | 3231-31            | 2           | Bolt-Carriage 3/8-16 X 2 1/2 |

# Tightener Arm W/Pulley Assembly No. 116-9286




# Tightener Arm W/Pulley Assembly No. 116-9286 (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>        | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>           |
|-------------|--------------------|-------------|---------------------------|-------------|--------------------|-------------|------------------------------|
| 1           |                    | 1           | ASM-Ttnr Arm W/Bearings ● | 4           | 3231-5             | 1           | Bolt-Carriage 3/8-16 X 1 3/4 |
| 1:2         | 32120-10           | 2           | Ring-Retaining            | 5           | 109-6658           | 2           | Nut-Nyloc 3/8-16 Flg         |
| 1:3         | 103-3504           | 2           | Bearing-Spherical         | 6           | 103-2916           | 2           | Guard-Top                    |
| 1:4         | 103-5677           | 1           | Spacer                    | 7           | 323-42             | 1           | Screw-HH 3/8-16 X 3 3/4      |
| 1:5         | 106-7159           | 2           | O-Ring                    | 8           | 109-8754           | 1           | Spacer                       |
| 1:6         | 103-3506           | 2           | Seal-Single Lip           | 9           | 109-8866           | 1           | Bushing, Plastic             |
| 2           | 1-603496           | 1           | Bushing-Idler             | 10          | 3231-7             | 1           | Bolt-Carriage 3/8-16 X 2 1/4 |
| 3           | 1-603805           | 1           | Pulley-Idler              | 11          | 104-8301           | 1           | Nut-Nyloc 3/8-16 Flg         |

● Not serviced separately

# Hydraulic Assembly




## Hydraulic Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>           | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>            |
|-------------|--------------------|-------------|------------------------------|-------------|--------------------|-------------|-------------------------------|
| 1           | 109-7543           | 1           | Pump, Hydro                  | 27:2        | 109-6904           | 1           | Asm, Filter Inlet Hose        |
| 2           | 109-7544           | 1           | Pump, Hydro                  | 27:3        | 109-6903           | 1           | Hose, Pump Inlet              |
| 3           | 323-7              | 3           | Screw-HH 3/8-16 X 1 1/4      | 27:4        | 1-603990           | 1           | Adapter-Straight              |
| 4           | 323-8              | 1           | Screw-HH 3/8-16 X 1 1/2      | 27:4:1      | 1-603920           | 1           | O-Ring-Sae #8                 |
| 5           | 98-5975            | 3           | Washer-Spring Disc 3/8       | 27:4:2      | 1-603992           | 1           | O-Ring-37 Flare #8            |
| 6           | 1-303335           | 2           | Tie-Cable 7 15/16 (Large)    | 27:5        | 103-2146           | 1           | Element-Hydraulic Oil Filter  |
| 7           | 3256-23            | 2           | Washer-5/16 Sae              | 28          | 109-3250           | 1           | Asm, Pump Idler<br>W/Bearings |
| 8           | 30-1710            | 4           | Setscrew-5/16-18 X 1         | 29          | 103-7569-03        | 1           | Arm, Pump Idler               |
| 9           | 1-807259           | 2           | Key-Machine 1/4 X 1/4 X 1    | 30          | 116-0888           | 1           | Idler, Flanged                |
| 10          | 321-3              | 2           | Screw-HH 1/4-20 X 5/8        | 31          | 109-7582           | 1           | Belt, Hydro Pump Drive        |
| 11          | 1-805004           | 2           | Washer-Lock 1/4 Heavy        | 32          | 109-7561           | 2           | Sheave, Hydro Pump            |
| 12          | 325-5              | 4           | Screw-HH 1/2-13 X 1 1/4      | 33          | 103-1940           | 2           | Adapter-Straight              |
| 13          | 32128-49           | 4           | Nut-Whizlock 1/2-13          | 33:1        | 237-79             | 1           | O-Ring                        |
| 14          | 3290-357           | 4           | Nut-Whizlock 3/8-16          | 33:2        | 1-603992           | 1           | O-Ring-37 Flare #8            |
| 15          | 103-2156           | 1           | Adapter-Straight             | 34          | 103-4679           | 4           | HYD Hose ASM                  |
| 15:1        | 1-603921           | 1           | O-Ring-Sae #6                | 35          | 103-4728           | 1           | Asm, Lower Frame Idler        |
| 15:2        | 103-1020           | 1           | O-Ring-37 Flare #6           | 35:2        | 251-347            | 1           | Bearing-Ball Deep Groove      |
| 16          | 322-3              | 1           | Screw-HH 5/16-18 X 3/4       | 35:3        | 32151-13           | 2           | Ring-Retaining                |
| 17          | 3256-4             | 1           | Washer-3/8 Std               | 36          | 103-4566           | 1           | Spacer, Lower Frame Idler     |
| 18          | 322-4              | 1           | Screw-HH 5/16-18 X 7/8       | 37          | 323-11             | 1           | Screw-HH 3/8-16 X 2 1/4       |
| 19          | 103-1014           | 2           | Elbow-90°                    | 38          | 32128-20           | 3           | Nut-Whizlock 5/16-18          |
| 19:1        | 1-603920           | 1           | O-Ring-Sae #8                | 39          | 103-3186           | 1           | Spacer-Bracket, Guide         |
| 20          | 103-2153           | 2           | Elbow-90°                    | 40          | 3231-6             | 1           | Bolt-Carriage 3/8-16 X 2      |
| 20:1        | 1-603920           | 1           | O-Ring-Sae #8                | 41          | 109-0089-03        | 1           | Bracket, Hydraulic Tank       |
| 20:2        | 1-603992           | 1           | O-Ring-37 Flare #8           | 42          | 109-6658           | 2           | Nut-Nyloc 3/8-16 Flg          |
| 21          | 1-603990           | 3           | Adapter-Straight             | 43          | 109-8753           | 2           | Spacer                        |
| 21:1        | 1-603920           | 1           | O-Ring-Sae #8                | 44          | 109-8752           | 2           | Spacer                        |
| 21:2        | 1-603992           | 1           | O-Ring-37 Flare #8           | 45          | 112-9771           | 2           | Washer-Teflon                 |
| 22          | 109-0087           | 1           | Asm-Case Drain Hose          | 46          | 5-0838             | 1           | Washer                        |
| 23          | 109-0582           | 1           | Hydraulic Tank ASM           | 48          | 32144-70           | 2           | Screw-HWH 5/16-18 X 3/4<br>Tf |
| 23:1        | 115-4212           | 1           | Decal-Warning                | 49          | 112-8358           | 1           | HYD Motor ASM (CW)            |
| 23:2        |                    | 1           | Tank-Hydraulic ●             | 49:1        | 3257-42            | 1           | Key-Woodruff 5/16 X 1         |
| 23:2:1      | 103-1948           | 1           | Cap-Reservoir, HYD           | 49:2        | 1-809036           | 1           | Nut-Slotted 1-20              |
| 23:2:2      | 103-1949           | 1           | Gasket-Cap                   | 49:3        | 109-5966           | 1           | Wheel Motor Seal Kit          |
| 24          | 116-6317           | 1           | Spring-Extension             | 50          | 112-8357           | 1           | HYD Motor ASM (CCW)           |
| 25          | 1-603991           | 4           | Adapter-Straight             | 50:1        | 3257-42            | 1           | Key-Woodruff 5/16 X 1         |
| 25:1        | 237-80             | 1           | O-Ring                       | 50:2        | 1-809036           | 1           | Nut-Slotted 1-20              |
| 25:2        | 1-603992           | 1           | O-Ring-37 Flare #8           | 50:3        | 109-5966           | 1           | Wheel Motor Seal Kit          |
| 26          | 3231-31            | 1           | Bolt-Carriage 3/8-16 X 2 1/2 |             |                    |             |                               |
| 27          | 109-6905           | 1           | Asm, Charge Hose             |             |                    |             |                               |
| 27:1        | 103-2259           | 1           | Head-Filter                  |             |                    |             |                               |

● Not serviced separately

# Electrical Assembly



## Electrical Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>          | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>              |
|-------------|--------------------|-------------|-----------------------------|-------------|--------------------|-------------|---------------------------------|
| 1           | 1-543792           | 2           | Wingnut-Nyloc 1/4-20        | 25:2        | 106-2733           | 1           | Decal-Throttle                  |
| 2           | 103-1311-03        | 1           | Holddown-Battery            | 25:3        | 126-4763           | 1           | Decal-Control Panel             |
| 3           | 103-1312           | 2           | Bolt-Holddown               | 26          | 1-643021           | 1           | Gauge-Temperature               |
| 5           | 3290-500           | 8           | Screw-PPH #10-24 X 5/8      | 27          | 1-643037           | 1           | Gauge-Voltmeter                 |
| 6           | 103-5218           | 1           | Module-Delay, Seat          | 28          | 103-0205           | 1           | Alarm-Dual Tone 12Vdc           |
| 7           | 3296-2             | 4           | Nut-Nyloc #10-24            | 29          | 103-3684           | 1           | Bezel, Gauge                    |
| 8           | 1-633181           | 3           | Plate-Tapped                | 30          | 109-3495           | 1           | Asm, Relay Mount Bracket        |
| 9           | 1-513374           | 1           | Meter-Engine Hours          | 30:2        | 126-4759           | 1           | Decal-Relay                     |
| 10          | 103-0498           | 1           | Nut-Ignition                | 31          | 49-2040            | 2           | Screw-HWH 1/4-20 X 3/4 Tf       |
| 11          | 103-0206           | 1           | Switch-Ignition W/Keys      | 32          | 103-4339           | 1           | Harness-Gauge ▲                 |
| 11:1        | 3254-5             | 1           | Washer-Tooth, Internal      | 33          | 110-0811           | 1           | Switch-Rocker                   |
| 11:2        | 218-461            | 1           | Nut-HH                      | 34          | 109-2488           | 1           | Cluster, Lights                 |
| 12          | 114-0279           | 1           | Switch-PTO                  | 35          | 103-1349           | 1           | Cable-Engine Negative           |
| 13          | 1-643312           | 1           | Clip-Loom                   | 36          | 103-7886           | 1           | Sender, Temperature ■           |
| 14          | 1-633111           | 1           | Switch                      | 37          | 103-1368           | 1           | Fuse-40 Amp                     |
| 15          | 116-8236           | 1           | Harness,Wiring-Lzds         | 38          | 322-5              | 1           | Screw-HH 5/16-18 X 1            |
|             |                    |             | Kubota ▲                    | 39          | 32128-20           | 1           | Nut-Whizlock 5/16-18            |
| 16          | 110-8808           | 1           | Harness-Wire                | 40          | 3256-23            | 1           | Washer-5/16 Sae                 |
| 17          | 109-3074           | 1           | Cable, Ground (-)           | 41          | 1-633396           | 1           | Clip-Loom 5/8                   |
| 18          | 109-7607           | 1           | Asm, Cable-Battery (+) ●    | 42          | 33114-016          | 1           | Screw-HH M8-1.25 X 16Mm         |
| 18:1        | 103-1340           | 1           | Insulator-Terminal, Battery | 43          | 104-2065           | 2           | Screw-HWH #10-24 X 3/8          |
| 18:2        | 103-1420           | 1           | Insulator-Starter           | 44          | 126-4762           | 1           | Decal-PTO Relay                 |
| 19          | 1-643275           | 7           | Relay-12Vdc 40 Amp          | 45          | 116-5163           | 1           | Ground Wire ASM                 |
| 20          | 1-816001           | 1           | Fuse-Blade Type, 20 Amp     | 46          | 3255-8             | 1           | Washer-Lock 5/16<br>(Ext-Tooth) |
| 21          | 1-303335           | 5           | Tie-Cable 7 15/16 (Large)   | 47          | 103-1227           | 1           | Harness-Wiring, Seat ▲          |
| 22          | 1-513051           | 2           | Switch-N.O.                 | 48          | 94-8002            | 1           | Fuse-Blade, 50 Amp              |
| 23          | 109-2661           | 8           | Screw-PPH #10-24 X 1/2      | 49          | 100-4918           | 1           | Diode-Over Molded               |
| 24          | 1-807513           | 2           | Bolt-Carriage #10-24 X 1/2  | 50          | 103-2106           | 1           | Key-Exmark Logo                 |
| 25          | 116-5139           | 1           | Control Panel W/Decals      |             |                    |             |                                 |

● Includes insulators

■ Use a Teflon Pipe Sealant or equivalent on threads.

▲ Use dielectric grease on all unsealed connectors and terminals only. Do not apply in sealed connectors.

**Notes:**



# MAXIMIZE THE PERFORMANCE OF YOUR EXMARK MACHINE.



## EXMARK® PREMIUM ENGINE OIL

Exmark now offers a family of engine oil viscosities to perform well in any environment. Each viscosity has the same synthetic formulation to give you what you need in punishing conditions. We designed each grade to the highest quality, making it ideal even for diesel applications. Coupled with Exmark Premium Fuel Treatment, we have the performance products to make your machine hum.

### EXMARK PREMIUM ENGINE OIL SAE 30/10W-30

- Meets zero shear requirements of a straight grade SAE 30 as well as the cold temp properties of a 10W-30.
- Most versatile oil in the industry.
- Superior corrosion protection over conventional oil - even in corrosive, humid environments.

### EXMARK PREMIUM ENGINE OIL SAE 20W-50

- Perfect for your big block engine, or any application in severe service.
- Same full synthetic formulation as all other Exmark Premium viscosities.
- Also effective for use in severe service small block engines.

### EXMARK PREMIUM ENGINE OIL SAE 10W-50

- Full synthetic formulation gives you peak performance. Don't settle for less.
- Wide span multi-grade combines easy starting in cold weather with maximum protection in high temperature operation.
- Reduce friction & wear over standard mineral formulations.

### EXMARK PREMIUM ENGINE OIL SAE 0W-40

- The perfect choice for when the weather turns cold or unpredictable, and your Exmark UTV has to perform.
- Commercial quality for severe service.
- Advanced additive package helps prevent corrosion from long-term storage.

### EXMARK PREMIUM ENGINE OIL UTV FORMULATION

- 4-cycle high-temp formulation.
- Heavier viscosity, full synthetic, perfect for your UTV.

### EXMARK PREMIUM UTV EXTREME CONDITIONS GEAR OIL

- SAE 80W-90, designed to keep your UTV performing at its peak.
- Shear stable, hypoid gear lube.
- Includes a premium additive system to combat wear, oxidation, rust & corrosion.

***Available from your local Exmark dealer. Find your closest dealer at [exmark.com](http://exmark.com)***

## EXMARK ACCESSORIES AND OPTIONS\*

### MID-MOUNT RIDING ACCESSORIES AND OPTIONS

|                                    |                                 |
|------------------------------------|---------------------------------|
| CUSTOM RIDE SEAT SUSPENSION SYSTEM | OPERATOR CONTROLLED DISCHARGE   |
| FULL SUSPENSION SEAT               | SUN SHADE                       |
| DECK LIFT ASSIST KIT               | TRASH CONTAINER                 |
| HITCH KIT                          | TURF STRIPER                    |
| LIGHT KIT                          | ULTRA VAC COLLECTION SYSTEM     |
| 12V POWER PORT                     | ULTRA VAC QUICK DISPOSAL SYSTEM |
| MICRO-MULCH SYSTEM                 |                                 |

### OUT-FRONT RIDING ACCESSORIES AND OPTIONS

|                                    |                                 |
|------------------------------------|---------------------------------|
| CUSTOM RIDE SEAT SUSPENSION SYSTEM | SNOW BLADE                      |
| DUAL-TAIL WHEEL                    | SNOWBLOWER                      |
| FLOOR PAN EXTENDER                 | SUN SHADE                       |
| HITCH KIT                          | TRASH CONTAINER                 |
| LIGHT KIT                          | ULTRA VAC COLLECTION SYSTEM     |
| MICRO-MULCH SYSTEM                 | ULTRA VAC QUICK DISPOSAL SYSTEM |
| ROLL OVER PROTECTION SYSTEM (ROPS) | WEATHER CAB                     |

### WALK-BEHIND ACCESSORIES AND OPTIONS

|                    |              |
|--------------------|--------------|
| GRASS CATCHER      | TURF STRIPER |
| MICRO-MULCH SYSTEM | STANDON      |

\*Some accessories and options not available for some models.

Place Model No. and Serial No.  
Label Here (Included in the Literature  
Pack) or Fill in Below

Model No. \_\_\_\_\_

Serial No. \_\_\_\_\_

Date Purchased \_\_\_\_\_

Engine Model No. and Spec. No. \_\_\_\_\_

Engine Serial No. (E/No) \_\_\_\_\_

© 2015 Exmark Mfg. Co., Inc.  
Industrial Park Box 808  
Beatrice, NE 68310  
All Rights Reserved

Part No. 4502-721 Rev. A  
(402) 223-6300  
Fax (402) 223-5489  
Printed in the USA.



\* 4 5 0 2 - 7 2 1 \* A

[www.exmark.com](http://www.exmark.com)