




# **VANTAGE® 36**

Model No. VTS541CKA36300—Serial No. 402082300 and Up

Picture below may not reflect actual product.



# **Parts Manual**

# Ordering Replacement Parts

To order replacement parts, please supply the part number, the quantity, and the description of each part desired.

## Understanding Reference Numbers

Each identified part in an illustration has a reference number. The reference number for a part also appears in the parts list, along with other information about the part.

This catalog uses two special reference number formats, one to indicate parts in a service assembly and another to indicate the quantity of a given part in an illustration.

## Service Assembly Reference Numbers

Parts in service assemblies have reference numbers in the form a:b. The a represents the reference number of the entire service assembly and the b represents a sequential number unique to each part within the service assembly.

For example, a wheel assembly might be identified by reference number 6, the tire by 6:1, the valve by 6:2, and the wheel by 6:3. When you order the assembly identified by reference number 6, you receive all parts identified by reference numbers 6:1, 6:2, and 6:3. However, you may also order any part individually. Reference numbers of this type appear in illustration and in parts lists.

## Reference Numbers Indicating Quantity

In an illustration, if a reference number indicates more than one part, the reference number has the form nX y. The n represents the quantity of the part, the X is the multiplication symbol, and the y represents the reference number.

For example, in an illustration, the reference number 2X 37 means that two of the parts identified by reference number 37 are indicated.

# Touch Up Paint

Exmark black touch up spray paint – gloss black.

Exmark red touch up paint (spray paint – P/N 1-850337 - .6 oz liquid bottle – P/N 103-9140).




If your Exmark dealer does not have the Exmark part in stock, Exmark will get the parts to the dealer the next business day or the part will be FREE Guaranteed!! (Some restrictions apply. See your participating Exmark Dealer for details.)

## Contents

|                                                        |    |
|--------------------------------------------------------|----|
| Complete Deck Assembly.....                            | 4  |
| Deck Assembly.....                                     | 6  |
| Deck W/Decals Assembly No. 116-3662.....               | 8  |
| Idler Arm Assembly No. 116-3680.....                   | 10 |
| Main Frame Assembly.....                               | 12 |
| Control Tower W/Decals Assembly No. 116-6323.....      | 14 |
| Wheel and Bearing Assembly No. 112-3810.....           | 16 |
| Park Brake Assembly.....                               | 18 |
| Brake Linkage Assembly No. 116-4166.....               | 20 |
| Deck Lift Assembly.....                                | 22 |
| Height of Cut Link Assembly No. 116-3975.....          | 24 |
| Platform Assembly.....                                 | 26 |
| Cushion Assembly No. 126-1210.....                     | 28 |
| Platform Assembly No. 116-3523.....                    | 30 |
| Ground Drive Assembly.....                             | 32 |
| Pump Idler Assembly No. 116-9980.....                  | 34 |
| Control Assembly.....                                  | 36 |
| Vertical Adjust Link Assembly No. 116-4210.....        | 38 |
| LH Tracking Control Linkage Assembly No. 116-4213..... | 40 |
| RH Tracking Control Linkage Assembly No. 116-4214..... | 42 |
| Engine Assembly.....                                   | 44 |
| Fuel Tank Mounting Assembly.....                       | 46 |
| Fuel Tank Assembly.....                                | 48 |
| Electrical Assembly.....                               | 50 |


# Complete Deck Assembly



## Complete Deck Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>    |
|-------------|--------------------|-------------|-----------------------|
| 1           | 116-4301           | 1           | ASM,Deck Complete 363 |

# Deck Assembly




## Deck Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>           | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>                    |
|-------------|--------------------|-------------|------------------------------|-------------|--------------------|-------------|---------------------------------------|
| 1           | 116-3662           | 1           | Deck ASM - 36                | 15          | 116-0675           | 2           | Sheave, Blade Drive 6.50 ■            |
| 2           | 116-4244-01        | 1           | Baffle-Dogleg                | 16          | 116-7306           | 2           | Nut-Hex                               |
| 3           | 3230-16            | 2           | Bolt-Carriage 5/16-18 X 7/8  | 17          | 3231-5             | 1           | Bolt-Carriage 3/8-16 X 1 3/4          |
| 4           | 3230-18            | 2           | Bolt-Carriage 5/16-18 X 5/8  | 18          | 43-0940            | 1           | Spacer                                |
| 5           | 104-8300           | 4           | Nut-Nyloc 5/16-18 Flg        | 19          | 93-1622            | 1           | Pulley-Idler                          |
| 6           | 116-3680           | 1           | Idler Arm ASM -              | 20          | 109-2872           | 1           | Spacer-Pulley                         |
| 7           | 116-6317           | 1           | Spring-Extension             | 21          | 116-3592           | 1           | Pulley-Idler                          |
| 8           | 116-3344           | 2           | ASM-Cutter Hsg With Bearings | 22          | 3231-31            | 1           | Bolt-Carriage 3/8-16 X 2 1/2          |
| 8:2         | 116-0720           | 2           | Bearing-Ball                 | 23          | 103-2916           | 1           | Guard-Top                             |
| 8:3         | 116-3312           | 1           | Spacer-Bearing               | 24          | 116-3675-01        | 1           | Push-Tower, LH 36                     |
| 9           | 116-3342           | 2           | ASM-Spindle And Seal ■       | 25          | 116-3676-01        | 1           | Push-Tower, RH 36                     |
| 10          | 103-6402           | 2           | Blade-Notched                | 26          | 116-3703           | 1           | Belt-V                                |
| 10          | 103-6397           | 2           | Blade, Extreme               | 27          | 116-1502           | 1           | Bolt-Carriage Shoulder 3/8-16 X 3 1/2 |
| 10          | 103-6392           | 2           | Blade, Mulching ●            | 28          | 116-4230           | 1           | Chute - Discharge ASM                 |
| 10          | 103-6387           | 2           | Blade, Low Lift              | 28:1        | 109-2738           | 1           | Chute, Discharge                      |
| 10          | 103-6382           | 2           | Blade, Solid                 | 28:2        | 116-4229-01        | 1           | Bracket-Chute, Discharge              |
| 11          | 103-3037           | 2           | Bushing, Splined             | 28:3        | 3231-22            | 3           | Bolt-Carriage 3/8-16 X 1              |
| 12          | 109-9220           | 2           | Screw-Sems 1/2-20 X 2.19     | 28:4        | 109-6658           | 3           | Nut-Nyloc 3/8-16 Flg                  |
| 13          | 116-1286           | 2           | Guard, Bearing Top .989      | 29          | 3231-28            | 6           | Bolt-Carriage 3/8-16 X 1 1/4          |
| 14          | 109-6658           | 21          | Nut-Nyloc 3/8-16 Flg         | 30          | 103-2802           | 2           | Washer-Spring Disc 3/4                |

● Requires installation of mulch kit for proper mulching. See your Exmark dealer for details.

■ Apply Mobil HTS grease (P/N 103-5217 1.5 oz packet) (or a food-grade anti-seize). See operator's manual for locations.

# Deck W/Decals Assembly No. 116-3662




## Deck W/Decals Assembly No. 116-3662 (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>    |
|-------------|--------------------|-------------|-----------------------|
| 2           | 112-8760           | 1           | Decal-Danger          |
| 3           | 116-8283           | 1           | Decal-Bolt Torque     |
| 4           | 116-4298           | 1           | Decal-Belt Routing 36 |

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>         |
|-------------|--------------------|-------------|----------------------------|
| 5           | 126-6745           | 1           | Decal-Ultracut 36 Series 3 |
| 6           | 121-6049           | 1           | Decal-Danger               |

# Idler Arm Assembly No. 116-3680




## Idler Arm Assembly No. 116-3680 (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i> |
|-------------|--------------------|-------------|--------------------|
| 2           | 106-7159           | 2           | O-Ring             |
| 3           | 32120-10           | 2           | Ring-Retaining     |
| 4           | 103-3504           | 2           | Bearing-Spherical  |

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i> |
|-------------|--------------------|-------------|--------------------|
| 5           | 103-3506           | 1           | Seal-Single Lip    |
| 6           | 103-3505           | 1           | Seal-Double Lip    |


# Main Frame Assembly



## Main Frame Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>          | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>           |
|-------------|--------------------|-------------|-----------------------------|-------------|--------------------|-------------|------------------------------|
| 1           | 116-4650-01        | 1           | Frame ASM                   | 14          | 116-8739           | 1           | Muffler Guard ASM            |
| 2           | 1-811010           | 2           | Plug                        | 14:2        | 106-5517           | 1           | Decal-Warning                |
| 3           | 116-6323           | 1           | Control Tower ASM           | 15          | 119-7303-01        | 2           | Bracket-Mounting, Guard      |
| 4           | 108-3742           | 4           | Screw-HH Flg 3/8-16 X 2     | 16          | 3231-31            | 4           | Bolt-Carriage 3/8-16 X 2 1/2 |
| 5           | 121-1760           | 4           | Spacer                      | 17          | 32128-21           | 4           | Nut-3/8-16 Flanged Side Lock |
| 6           | 104-8301           | 4           | Nut-Nyloc 3/8-16 Flg        | 18          | 2412-87            | 1           | Clamp-Cable                  |
| 7           | 1-543509           | 4           | Cone-Bearing Tapered Roller | 19          | 321-4              | 1           | Screw-HH 1/4-20 X 3/4        |
| 8           | 116-5647           | 2           | Seal-Grease                 | 20          | 104-7201           | 1           | Nut-Nyloc 1/4-20 Flg         |
| 9           | 121-7988-01        | 2           | Fork-Caster                 | 22          | 126-7200           | 1           | Decal-Vantage Logo           |
| 10          | 1-633508           | 6           | Washer-Spring Disc          | 25          | 126-4345           | 1           | Decal-Patent                 |
| 11          | 3296-51            | 2           | Nut-Nyloc 3/4-10            | 26          | 32180-040          | 2           | Clip-Harness                 |
| 12          | 103-4882           | 2           | Cap-Grease                  | 28          | 126-6572           | 2           | Decal-S-Series               |
| 13          | 112-3810           | 2           | Wheel/Tire And Bearing ASM  |             |                    |             |                              |

Control Tower W/Decals Assembly No. 116-6323




## Control Tower W/Decals Assembly No. 116-6323 (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>   |
|-------------|--------------------|-------------|----------------------|
| 2           | 116-8779           | 1           | Decal-Control Panel  |
| 3           | 116-8781           | 1           | Decal-Motion Control |
| 4           | 135-2832           | 1           | Decal-Warning        |
| 5           | 126-7202           | 1           | Decal-LH Panel       |
| 6           | 126-7203           | 1           | Decal-RH Panel       |

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>  |
|-------------|--------------------|-------------|---------------------|
| 7           | 116-8819           | 1           | Decal-Service Aid   |
| 8           | 116-4270           | 1           | Decal-Height Of Cut |
| 9           | 116-8772           | 1           | Decal-Fuse          |
| 10          | 126-6971           | 2           | Decal-Exmark Logo   |

# Wheel and Bearing Assembly No. 112-3810



# Wheel and Bearing Assembly No. 112-3810 (continued)


| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>             |
|-------------|--------------------|-------------|--------------------------------|
| 1           |                    | 1           | Wheel And Bearing ASM ●        |
| 1:1         | 1-633585           | 2           | Bearing-Cone Tapered<br>Roller |
| 1:2         | 103-0063           | 2           | Seal-Double Lip                |
| 1:3         | 103-3051           | 1           | Spacer-Nut ■                   |

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>    |
|-------------|--------------------|-------------|-----------------------|
| 1:4         | 126-5359           | 1           | Caster Axle ASM       |
| 1:5         | 110-9965           | 1           | Wheel And Tire ASM    |
| 2           | 103-2768           | 2           | Guard-Seal            |
| 3           | 3296-45            | 1           | Nut-Nyloc 1/2-13 Thin |
| 4           | 325-20             | 1           | Screw-HH 1/2-13 X 6   |

● Not serviced separately

■ Use Pro-Lock, Nut Type (P/N 1-840022, .5ml tube) on spacer nut


# Park Brake Assembly



## Park Brake Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>       | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>            |
|-------------|--------------------|-------------|--------------------------|-------------|--------------------|-------------|-------------------------------|
| 1           | 3231-10            | 1           | Bolt-Carriage 3/8-16 X 3 | 14          | 116-4600-03        | 1           | Bar-Brake                     |
| 2           | 116-4928           | 1           | Bushing-Handle           | 15          | 614672             | 1           | Screw-Shoulder 3/8-16 X 1.295 |
| 3           | 116-4680           | 1           | Handle-W/Grip ASM        | 16          | 5-0652             | 1           | Spacer                        |
| 3:2         | 1-633268           | 1           | Grip-Lever               | 17          | 104-8301           | 2           | Nut-Nyloc 3/8-16 Flg          |
| 4           | 109-6658           | 4           | Nut-Nyloc 3/8-16 Flg     | 18          | 116-4166           | 1           | ASM-Brake Linkage             |
| 5           | 116-4929           | 3           | Bushing-Flanged          | 19          | 103-2399           | 1           | Pin-Clevis Spring 3/8         |
| 6           | 116-4806           | 1           | Arm-Brake Bellcrank      | 20          | 92-5791            | 1           | Spacer                        |
| 7           | 98-5975            | 1           | Washer-Spring Disc 3/8   | 21          | 117-9684           | 1           | Spacer                        |
| 8           | 323-8              | 4           | Screw-HH 3/8-16 X 1 1/2  | 22          | 3256-24            | 1           | Washer-3/8 SAE                |
| 9           | 116-4805           | 1           | Link-Brake Handle        | 23          | 323-20             | 1           | Screw-HH 3/8-16 X 3-1/4       |
| 10          | 116-4681-01        | 1           | Bracket-Brake Mount, LH  | 24          | 117-9683           | 1           | Spacer                        |
| 11          | 116-4682-01        | 1           | Bracket-Brake Mount, RH  | 25          | 108-4052           | 1           | Spring-Torsion                |
| 12          | 322-4              | 8           | Screw-HH 5/16-18 X 7/8   | 26          | 1-373034           | 1           | Washer                        |
| 13          | 104-8300           | 8           | Nut-Nyloc 5/16-18 Flg    |             |                    |             |                               |

# Brake Linkage Assembly No. 116-4166




## Brake Linkage Assembly No. 116-4166 (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>              |
|-------------|--------------------|-------------|---------------------------------|
| 1           | 116-4818           | 1           | Rod-Brake Linkage               |
| 2           | 103-1167           | 1           | Joint-Ball End, .38X.38Fe<br>LH |

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>  |
|-------------|--------------------|-------------|---------------------|
| 3           | 1-633131           | 1           | Yoke-Linkage, Brake |
| 4           | 3220-3             | 1           | Nut-Jam 3/8-24      |
| 5           | 3220-16            | 1           | Nut-Jam 3/8-24 LH   |


# Deck Lift Assembly



## Deck Lift Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>               | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>            |
|-------------|--------------------|-------------|----------------------------------|-------------|--------------------|-------------|-------------------------------|
| 1           | 116-4638-01        | 2           | Support-Bearing                  | 27          | 116-4661-03        | 1           | Link-Decklift, RH             |
| 2           | 109-9410           | 2           | Bearing-Cross Shaft, Front       | 28          | 3256-29            | 3           | Washer-7/8 SAE                |
| 3           | 116-3725-01        | 1           | Rear Crossshaft ASM              | 29          | 32151-103          | 3           | E-Ring                        |
| 4           | 116-3733-01        | 2           | Cover-Bearing Support            | 30          | 116-5602           | 1           | ASM-HOC Handle                |
| 5           | 325-20             | 2           | Screw-HH 1/2-13 X 6              | 31          | 116-4021           | 1           | Bearing-HOC Pivot             |
| 6           | 99-5107            | 3           | Nut-Lock 1/2-13                  | 32          | 323-42             | 1           | Screw-HH 3/8-16 X 3 3/4       |
| 7           | 100-1668           | 2           | Screw-Flange                     | 34          | 114-1878-03        | 1           | Lever-HOC                     |
| 9           | 116-4663-01        | 1           | Decklift Arm ASM-LH              | 35          | 1-633268           | 1           | Grip-Lever                    |
| 10          | 116-4664-01        | 1           | Decklift Arm ASM-RH              | 36          | 66-0561            | 1           | Screw-Shoulder                |
| 11          | 302-5              | 3           | Zerk 1/4-28 Str Thrd<br>Forming  | 37          | 3256-26            | 1           | Washer-1/2 SAE                |
| 12          | 237-77             | 2           | O Ring                           | 38          | 65-9940            | 1           | Spring                        |
| 13          | 69-8910            | 2           | Washer                           | 39          | 111044             | 2           | Bushing                       |
| 14          | 32120-2            | 2           | Ring-Retaining                   | 40          | 116-3971           | 1           | Bracket-HOC                   |
| 15          | 109-9066           | 4           | Yoke-Adjust, Deck                | 41          | 323-7              | 1           | Screw-HH 3/8-16 X 1 1/4       |
| 16          | 3218-2             | 8           | Nut-Jam 5/16-18                  | 42          | 3231-22            | 1           | Bolt-Carriage 3/8-16 X 1      |
| 17          | 3274-18            | 4           | Screw-Sh 5/16-18 X 1 1/4         | 43          | 3296-59            | 2           | Nut-Nyloc 3/8-16 Thin         |
| 18          | 116-2428           | 2           | Bushing-Flanged                  | 44          | 116-3975           | 1           | HOC Link ASM                  |
| 19          | 3256-4             | 2           | Washer-3/8 Std                   | 45          | 327-22             | 1           | Screw-HH                      |
| 20          | 109-9065           | 2           | Screw-HH 7/16-14 X 2             | 46          | 3296-53            | 2           | Nut-Nyloc 5/8-11              |
| 21          | 32128-37           | 4           | Nut-Whizlock 7/16-14             | 47          | 327-29             | 1           | Screw-HH                      |
| 22          | 116-0756           | 2           | Deck Lift Chain ASM              | 48          | 116-0886           | 1           | Spring-Extension              |
| 22:1        | 1-633447           | 1           | Chain-Lift, Deck                 | 49          | 98-5975            | 1           | Washer-Spring Disc 3/8        |
| 22:2        | 109-9065           | 1           | Screw-HH 7/16-14 X 2             | 50          | 323-58             | 1           | Bolt-HH 3/8-16 X 6 Tap        |
| 22:3        | 32128-37           | 1           | Nut-Whizlock 7/16-14             | 51          | 116-3124           | 1           | Skid-Handle, Lift             |
| 23          | 109-9840           | 3           | Screw-Hex Flange 3/8-16 X<br>.80 | 52          | 32144-11           | 2           | Screw-HWH 5/16-18 X 3/4<br>Tf |
| 24          | 104-8301           | 4           | Nut-Nyloc 3/8-16 Flg             | 53          | 116-4702           | 1           | Bushing-Flanged               |
| 25          | 116-2909           | 3           | Bearing-Flange                   | 54          | 325-8              | 1           | Screw-HH 1/2-13 X 1 1/4       |
| 26          | 116-3972-03        | 1           | Link-Decklift, LH                | 55          | 3256-5             | 1           | Washer-7/16 Std               |

# Height of Cut Link Assembly No. 116-3975




## Height of Cut Link Assembly No. 116-3975 (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>  |
|-------------|--------------------|-------------|---------------------|
| 1           | 1-633029           | 1           | Balljoint           |
| 2           | 117-5291           | 1           | Balljoint-Spherical |
| 3           | 3220-6             | 1           | Nut-Jam             |

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i> |
|-------------|--------------------|-------------|--------------------|
| 4           | 117-5293           | 1           | Nut-Jam            |
| 5           | 116-5488           | 1           | Link-Height Of Cut |


# Platform Assembly



## Platform Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i> | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>         |
|-------------|--------------------|-------------|--------------------|-------------|--------------------|-------------|----------------------------|
| 1           | 126-1210           | 1           | ASM, Cushion       | 4           | 3229-11            | 1           | Bolt-Carriage 1/4-20 X 5/8 |
| 2           | 116-3523           | 1           | Platform ASM       | 5           | 104-7201           | 1           | Nut-Nyloc 1/4-20 Flg       |
| 3           | 119-7312           | 1           | Plate-Striker      |             |                    |             |                            |


# Cushion Assembly No. 126-1210



## Cushion Assembly No. 126-1210 (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>              | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>         |
|-------------|--------------------|-------------|---------------------------------|-------------|--------------------|-------------|----------------------------|
| 1           | 116-2757-03        | 1           | Hinge-Pad                       | 8           | 3290-355           | 2           | Pin-Hair                   |
| 2           | 116-2061-03        | 1           | Hinge-Pad                       | 9           | 114-0463           | 4           | Washer-Friction, Composite |
| 3           | 116-1790           | 1           | Pad,Grey Cushion                | 10          | 111044             | 4           | Bushing                    |
| 4           | 126-0362           | 1           | Shield, Rear                    | 11          | 114-1915-03        | 2           | Link-Pad                   |
| 5           | 3256-23            | 4           | Washer-5/16 SAE                 | 12          | 3231-27            | 2           | Bolt-Carriage 3/8-16 X 7/8 |
| 6           | 116-0648           | 4           | Screw-HH 5/16-18 X 1<br>W/Patch | 13          | 3256-4             | 4           | Washer-3/8 Std             |
| 7           | 116-2886           | 2           | Slide-Bushing                   | 14          | 3296-59            | 4           | Nut-Nyloc 3/8-16 Thin      |
|             |                    |             |                                 | 15          | 3231-2             | 2           | Bolt-Carriage 3/8-16 X 1   |

# Platform Assembly No. 116-3523




## Platform Assembly No. 116-3523 (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>    | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>            |
|-------------|--------------------|-------------|-----------------------|-------------|--------------------|-------------|-------------------------------|
| 1           | 132-9403-03        | 1           | Platform ASM [black]  | 9           | 126-7157           | 1           | Mat-Platform                  |
| 2           | 114-1925           | 2           | Bumper-Rubber         | 10          | 114-1920-03        | 1           | Clamp-Shield                  |
| 3           | 114-1926           | 2           | Bumper-Rubber         | 11          | 32144-70           | 2           | Screw-HWH 5/16-18 X 3/4<br>Tf |
| 4           | 104-8300           | 4           | Nut-Nyloc 5/16-18 Flg | 12          | 109-8788           | 2           | Bushing-Flanged               |
| 5           | 119-8650           | 1           | Pin-Latch ●           | 14          | 83-1040            | 2           | Washer                        |
| 6           | 114-5348           | 1           | Spring                | 15          | 323-7              | 2           | Screw-HH 3/8-16 X 1 1/4       |
| 7           | 1-603175           | 1           | Knob-Ball             | 16          | 104-8301           | 2           | Nut-Nyloc 3/8-16 Flg          |
| 8           | 126-6991           | 1           | Decal-Exmark Logo     |             |                    |             |                               |

● Use Pro-Lock, Nut Type (P/N 1-840022, .5ml tube) on threads.

# Ground Drive Assembly



## Ground Drive Assembly (continued)

| Ref.   | Part Number | Qty. | Description                   | Ref. | Part Number | Qty. | Description                          |
|--------|-------------|------|-------------------------------|------|-------------|------|--------------------------------------|
| 1      | 104-1171    | 2    | HYD Motor ASM                 | 27   | 104-7201    | 1    | Nut-Nyloc 1/4-20 Flg                 |
| 2      | 3257-8      | 2    | Key-Woodruff                  | 28   | 103-2888    | 1    | Head-Filter                          |
| 3      | 85-7310     | 2    | Nut-Motor, Wheel              | 29   | 109-4180    | 1    | Element, Oil Filter                  |
| 4      | 325-10      | 8    | Screw-HH 1/2-13 X 2 1/2       | 30   | 116-4343    | 2    | Rod-Reservoir Stand                  |
| 5      | 32128-23    | 8    | Nut-Hex 1/2-13 Side Lock      | 31   | 1-603991    | 4    | Adapter-Straight                     |
| 6      | 105-0800    | 2    | Wheel Hub ASM                 | 31:1 | 237-80      | 1    | O-Ring                               |
| 6:2    | 10-6830     | 4    | Stud-Type, Drive              | 31:2 | 1-603992    | 1    | O-Ring-37 Flare #8                   |
| 7      | 116-4587    | 2    | Wheel/Tire ASM                | 32   | 1-603990    | 4    | Adapter-Straight                     |
| 7:1    | 116-4605    | 1    | Rim-8 Inch                    | 32:1 | 1-603920    | 1    | O-Ring-SAE #8                        |
| 7:2    | 116-4606    | 1    | Tire                          | 32:2 | 1-603992    | 1    | O-Ring-37 Flare #8                   |
| 7:3    | 232-27      | 1    | Stem-Valve                    | 33   | 100-4887    | 2    | Fitting-Barbed                       |
| 8      | 242-50      | 8    | Nut-Lug 1/2-20                | 33:1 | 237-42      | 1    | O-Ring                               |
| 9      | 116-8745-01 | 1    | Base, Engine [red]            | 34   | 103-2155    | 2    | Adapter-90°                          |
| 10     | 323-18      | 4    | Screw-HH                      | 34:1 | 1-603921    | 1    | O-Ring-SAE #6                        |
| 11     | 104-8301    | 5    | Nut-Nyloc 3/8-16 Flg          | 34:2 | 103-1020    | 1    | O-Ring-37 Flare #6                   |
| 12     | 116-2572    | 1    | Pump - Hydraulic              | 35   | 103-2156    | 4    | Adapter-Straight                     |
| 13     | 116-4635    | 1    | Pump-Hydraulic                | 35:1 | 1-603921    | 1    | O-Ring-SAE #6                        |
| 14     | 3232-3      | 4    | Bolt-Carriage 7/16-14 X 1 1/2 | 35:2 | 103-1020    | 1    | O-Ring-37 Flare #6                   |
| 16     | 114-8417    | 4    | Nut-HF, NI                    | 36   | 116-5526    | 1    | Hose-Hardline                        |
| 17     | 1-807272    | 2    | Key-5Mm X 5Mm X 25Mm          | 37   | 116-5525    | 1    | Hose-Hardline                        |
| 18     | 105-5648    | 2    | Pulley-Pump ■                 | 38   | 116-5523    | 1    | Hose-Hardline                        |
| 19     | 3241-5      | 4    | Setscrew-SQH 1/4-20 X 5/8 ◆   | 39   | 116-5524    | 1    | Hose-Hardline                        |
| 20     | 116-9980    | 1    | Pump Idler ASM                | 40   | 116-5804    | 2    | Clamp, Stauff 212,7/12,7 W/Retainers |
| 21     | 116-8526    | 1    | Anchor, Spring                | 41   | 116-5145    | 1    | Hose-ASM Charge                      |
| 22     | 119-0174    | 1    | Belt-V                        | 42   | 116-4252    | 1    | Hose ASM-HYD LP 3/8X14.4             |
| 23     | 108-4056    | 1    | Spring-Extension              | 43   | 116-5460    | 1    | Hose ASM - HYD 3/8                   |
| 24     | 116-2066    | 1    | ASM,Reservoir W/Decals ▲      | 44   | 105-6245    | 1    | Screw-Tapping                        |
| 24:1   |             | 1    | Reservoir-HYD ●               | 45   | 1-633396    | 1    | Clip-Loom 5/8                        |
| 24:1:1 | 103-1948    | 1    | Cap-Reservoir, HYD            | 46   | 98-5975     | 4    | Washer-Spring Disc 3/8               |
| 24:1:2 | 103-1949    | 1    | Gasket-Cap                    | 47   | 321-3       | 3    | Screw-HH 1/4-20 X 5/8                |
| 24:2   | 115-4212    | 1    | Decal-Warning                 | 48   | 1-805004    | 2    | Washer-Lock 1/4 Heavy                |
| 25     | 116-4319-01 | 1    | Plate-Filter Mount            | 50   | 126-2130    | 2    | Decal-Wheel Torque                   |
| 26     | 117-8304    | 4    | Screw-Hex Flange 1/4-20 X 3/4 |      |             |      |                                      |


● Not serviced separately

▲ Use Exmark Premium Hydro Oil P/N 109-9828 (32oz)

◆ Use Pro-Lock, Nut Type (P/N 1-840022, .5ml tube) on threads.

■ Apply anti-seize compound in bore.


Pump Idler Assembly No. 116-9980



## Pump Idler Assembly No. 116-9980 (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>      | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>      |
|-------------|--------------------|-------------|-------------------------|-------------|--------------------|-------------|-------------------------|
| 1           | 116-8717           | 1           | Idler Arm ASM           | 6           | 1-373034           | 1           | Washer                  |
| 2           | 109-8054           | 2           | Bushing-Flanged         | 7           | 104-8301           | 2           | Nut-Nyloc 3/8-16 Flg    |
| 3           | 116-8718           | 1           | Spacer, Pivot           | 8           | 93-1622            | 1           | Pulley-Idler            |
| 4           | 3256-24            | 3           | Washer-3/8 SAE          | 9           | 323-9              | 1           | Screw-HH 3/8-16 X 1 3/4 |
| 5           | 323-13             | 1           | Screw-HH 3/8-16 X 2 3/4 |             |                    |             |                         |


Control Assembly



## Control Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>              | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>               |
|-------------|--------------------|-------------|---------------------------------|-------------|--------------------|-------------|----------------------------------|
| 1           | 116-4195           | 1           | Lever ASM, LH                   | 20          | 116-4277           | 1           | Control-Choke                    |
| 1:2         | 116-2357           | 1           | Grip-Handle, Control            | 21          | 1-807533           | 4           | Bolt-Carriage #10-24 X 5/8       |
| 2           | 126-1943-03        | 1           | Weld, Motion Control            | 22          | 3290-148           | 4           | Nut-Whizlock #10-24              |
| 3           | 116-9815           | 1           | ASM, Lever W/ Grip, Rt          | 23          | 2412-87            | 1           | Clamp-Cable                      |
| 3:2         | 116-2357           | 1           | Grip-Handle, Control            | 24          | 3229-1             | 3           | Bolt-Carriage 1/4-20 X 3/4       |
| 4           | 116-6985-03        | 1           | Tube ASM, Front Speed Control [ | 25          | 116-4740           | 1           | Bellcrank Link ASM               |
| 5           | 103-9928           | 10          | Bearing                         | 26          | 116-4203           | 1           | Pin-Bellcrank Link Retaining     |
| 6           | 116-4197           | 2           | Shaft-Pivot, Motion Control     | 27          | 116-4737           | 1           | Arm-Pump Control                 |
| 7           | 116-4198           | 2           | Spacer-Shaft, Drive Lever       | 28          | 116-7000           | 1           | Arm-Pump Control RH              |
| 8           | 117-8304           | 3           | Screw-Hex Flange 1/4-20 X 3/4   | 29          | 322-4              | 4           | Screw-HH 5/16-18 X 7/8           |
| 9           | 114-0409           | 1           | HOC Pin ASM                     | 30          | 104-8300           | 8           | Nut-Nyloc 5/16-18 Flg            |
| 10          | 107-1664           | 2           | Lever ASM                       | 31          | 116-4205           | 2           | Bellcrank-Lower                  |
| 10:1        | 106-3239           | 1           | Screw-Lock                      | 32          | 116-4208           | 2           | Link-Bellcrank, Pump             |
| 10:2        | 107-1644           | 1           | Cap-Lock                        | 33          | 116-2670           | 4           | Screw-Shoulder HHF 5/16-18 X .96 |
| 10:3        | 106-3241           | 1           | Lever-Lock                      | 34          | 116-4210           | 2           | Vertical Adjust Link             |
| 10:4        | 3296-29            | 1           | Nut-Nyloc 5/16-18               | 35          | 32151-86           | 2           | E-Ring                           |
| 11          | 116-2319           | 2           | Spacer-Clamp                    | 36          | 116-4213           | 1           | Linkage-Tracking Control, LH     |
| 12          | 3296-45            | 2           | Nut-Nyloc 1/2-13 Thin           | 37          | 116-4214           | 1           | Linkage-Tracking Control, RH     |
| 13          | 114-0239           | 1           | Screw-Shoulder 5/16-18 X 1/2    | 38          | 323-7              | 4           | Screw-HH 3/8-16 X 1 1/4          |
| 14          | 3296-47            | 1           | Nut-Nyloc 5/16-18 Thin          | 39          | 104-8301           | 4           | Nut-Nyloc 3/8-16 Flg             |
| 15          | 126-1499           | 1           | Cam                             | 40          | 321-5              | 2           | Screw-HH 1/4-20 X 7/8            |
| 16          | 3256-22            | 2           | Washer-1/4 SAE                  | 41          | 116-4739           | 2           | Clamp-Switch                     |
| 17          | 104-7201           | 5           | Nut-Nyloc 1/4-20 Flg            | 42          | 116-2832           | 2           | Actuator-Switch, Reed            |
| 18          | 114-0249           | 1           | Spring-Extension                | 43          | 52-2480            | 2           | Spacer-Wheel                     |
| 19          | 116-4276           | 1           | Control-Throttle                |             |                    |             |                                  |

**Vertical Adjust Link Assembly No. 116-4210**




## Vertical Adjust Link Assembly No. 116-4210 (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i> |
|-------------|--------------------|-------------|--------------------|
| 1           | 2411-41            | 1           | Rod End-Ball Joint |
| 2           | 104-4013           | 1           | Joint-Ball, LH     |
| 3           | 3220-1             | 1           | Nut-Jam 1/4-28     |

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>  |
|-------------|--------------------|-------------|---------------------|
| 4           | 104-3941           | 1           | Nut-Jam             |
| 5           | 116-4209           | 1           | Rod-Vertical Adjust |


# LH Tracking Control Linkage Assembly No. 116-4213



## LH Tracking Control Linkage Assembly No. 116-4213 (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>         | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i> |
|-------------|--------------------|-------------|----------------------------|-------------|--------------------|-------------|--------------------|
| 1           | 103-0608           | 2           | Balljoint                  | 4           | 116-7560           | 2           | Spring-Compression |
| 2           | 116-4742           | 1           | Link-Lower, Motion Control | 5           | 3220-3             | 1           | Nut-Jam 3/8-24     |
| 3           | 116-4755           | 1           | Rod-Adjustment             |             |                    |             |                    |

# RH Tracking Control Linkage Assembly No. 116-4214




# RH Tracking Control Linkage

## Assembly No. 116-4214 (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>         |
|-------------|--------------------|-------------|----------------------------|
| 1           | 103-0608           | 2           | Balljoint                  |
| 2           | 116-4742           | 1           | Link-Lower, Motion Control |
| 3           | 116-4755           | 1           | Rod-Adjustment             |

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i> |
|-------------|--------------------|-------------|--------------------|
| 4           | 3220-16            | 1           | Nut-Jam 3/8-24 LH  |
| 5           | 3220-3             | 2           | Nut-Jam 3/8-24     |

# Engine Assembly



## Engine Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>            | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>             |
|-------------|--------------------|-------------|-------------------------------|-------------|--------------------|-------------|--------------------------------|
| 1           |                    | 1           | Engine-Kawasaki, Fs541V<br>▲□ | 14          | 1-807259           | 1           | Key-Machine 1/4 X 1/4 X 1      |
| 1:1         | 92-2153            | 1           | Spark Plug ●                  | 15          | 116-4395           | 1           | Clutch-175 Ft-Lb ♦             |
| 1:2         | 119-5852           | 1           | Filter-Oil ●                  | 16          | 107-4136           | 1           | Washer                         |
| 1:3         | 120-2235           | 1           | Filter-Fuel ●                 | 17          | 1-603610           | 1           | Washer-Spring Disc 7/16        |
| 1:4         | 120-7447           | 1           | Element-Filter, Air ●         | 18          | 3212-10            | 1           | Screw-HH 7/16-20 X 2 1/2 ▶     |
| 2           | 1-653313           | 2           | Gasket-Exhaust                | 19          | 116-3565-01        | 1           | Anchor-Clutch                  |
| 3           | 116-8746           | 1           | Muffler                       | 20          | 105-6245           | 1           | Screw-Tapping                  |
| 4           | 114-3550           | 4           | Washer-Spring Lock M8         | 22          | 116-4924           | 1           | Asm-Hose Oil Drain W/Plug<br>○ |
| 5           | 114-3549           | 4           | Nut-M8                        | 22:1        | 353-508            | 1           | Plug-W/O-Ring ■                |
| 6           | 116-4752           | 1           | Bracket-Muffler Mount, LH     | 22:1:1      | 237-42             | 1           | O-Ring                         |
| 7           | 116-4750           | 1           | Bracket-Muffler Mount, RH     | 23          | 33094-00           | 1           | Washer                         |
| 8           | 104-7658           | 2           | Spacer                        | 24          | 98-5975            | 4           | Washer-Spring Disc 3/8         |
| 9           | 3234-29            | 2           | Screw-HH Flg 5/16-18 X 1      | 25          | 323-7              | 4           | Screw-HH 3/8-16 X 1 1/4        |
| 10          | 32128-25           | 2           | Nut-Hex 5/16-18 Side Lock     | 26          | 3290-378           | 1           | Tie-Cable                      |
| 11          | 3253-4             | 4           | Washer-Lock 5/16              | 27          | 116-4751           | 1           | Guard-Cable, Spark Plug        |
| 12          | 33114-016          | 5           | Screw-HH M8-1.25 X 16Mm       | 28          | 32144-10           | 2           | Screw-HWH 1/4-20 X .62         |
| 13          | 116-3610           | 1           | Pulley ♦                      | 29          | 1-303287           | 1           | Tie-Cable 5 1/2 (Small)        |

● Not illustrated

▲ Not serviced separately

□ Obtain parts from [www.kawpowerepc.com](http://www.kawpowerepc.com)


○ Use a Teflon Pipe Sealant or equivalent on threads.

▶ Use Pro-Lock, Nut Type (P/N 1-840022, .5ml tube) on threads.

■ Torque to 24-26 ft-lb

♦ Apply anti-seize compound in bore.


# Fuel Tank Mounting Assembly



## Fuel Tank Mounting Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>            | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>              |
|-------------|--------------------|-------------|-------------------------------|-------------|--------------------|-------------|---------------------------------|
| 1           | 135-0647           | 1           | Tank ASM-                     | 15          | 104-8300           | 2           | Nut-Nyloc 5/16-18 Flg           |
| 2           | 112-7069           | 2           | Grommet                       | 16          | 32180-040          | 2           | Clip-Harness                    |
| 3           | 107-9297           | 1           | Hose-Fuel                     | 17          | 116-5055-03        | 1           | Bracket, Carb Canister          |
| 4           | 1-603770           | 1           | Valve-Fuel                    | 19          | 114-0292           | 1           | Bracket-Canister, Carbon        |
| 5           | 110-1872           | 1           | Hose-Fuel                     | 20          | 117-1221           | 1           | Canister-Carbon, 800Cc          |
| 6           | 2412-98            | 10          | Clamp-Hose                    | 21          | 116-5053           | 1           | Hose-Fuel .25 X 60.00,<br>J30R7 |
| 7           | 1-303287           | 1           | Tie-Cable 5 1/2 (Small)       | 22          | 104-7201           | 2           | Nut-Nyloc 1/4-20 Flg            |
| 8           | 116-3088           | 1           | Bracket-Tank                  | 23          | 116-5879           | 2           | Screw-CARR                      |
| 8:2         | 116-8775           | 1           | Decal-Fill, Fuel              | 24          | 116-2232           | 1           | Valve-Control, Vacuum           |
| 10          | 32144-70           | 4           | Screw-HWH 5/16-18 X 3/4<br>Tf | 25          | 119-8502           | 1           | Hose-Vent, Formed               |
| 11          | 116-5054           | 1           | Vent ASM                      | 26          | 119-8501           | 1           | Hose-Vent, Formed               |
| 12          | 3290-378           | 5           | Tie-Cable                     | 27          | 116-2469           | 1           | Strap-Velcro, Cable Tie         |


# Fuel Tank Assembly



## Fuel Tank Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>   | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>         |
|-------------|--------------------|-------------|----------------------|-------------|--------------------|-------------|----------------------------|
| 2           | 46-6560            | 3           | Bushing              | 6           | 116-3408           | 1           | Fitting-Fuel, Bulkhead     |
| 3           | 1-643172           | 3           | Elbow-90 DEG         | 99          | 126-6924           | 1           | Kit, Fuel Gage Replacement |
| 5           | 126-1789           | 1           | Cap-Fuel, Ratcheting |             |                    |             |                            |

# Electrical Assembly



## Electrical Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>                | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>      |
|-------------|--------------------|-------------|-----------------------------------|-------------|--------------------|-------------|-------------------------|
| 2           | 116-4756-01        | 1           | Cover-Battery                     | 20:12       | 116-0053           | 1           | Cap-Plug                |
| 3           | 1-633651           | 2           | Bolt-Holddown                     | 20:13       | 103-3895           | 1           | Diode                   |
| 4           | 3256-22            | 3           | Washer-1/4 SAE                    | 21          | 3229-20            | 2           | Screw-CARR              |
| 5           | 1-543792           | 2           | Wingnut-Nyloc 1/4-20              | 22          | 3290-148           | 2           | Nut-Whizlock #10-24     |
| 6           | 117-1197           | 1           | Solenoid                          | 23          | 3256-23            | 2           | Washer-5/16 SAE         |
| 7           | 32144-4            | 2           | Screw-HWH 1/4-20 X 1/2<br>Taptite | 24          | 322-3              | 2           | Screw-HH 5/16-18 X 3/4  |
| 8           | 114-0279           | 1           | Switch-PTO, On-On-(On)            | 25          | 109-5715           | 2           | Nut-Hex Flange 5/16-18  |
| 9           | 137-4101           | 1           | Switch-Ignition                   | 26          | 109-7608           | 1           | Cable, Battery (+)      |
| 10          | 116-8893           | 1           | Module-Hour Meter                 | 26:1        | 109-2407           | 1           | Insulator-Battery       |
| 11          | 82-2190            | 1           | Switch                            | 26:2        | 1-543393           | 1           | Insulator-Solenoid      |
| 14          | 119-8231           | 1           | Switch-Plunger, NC, Spst          | 27          | 54-3093            | 1           | Cable-Battery, Negative |
| 16          | 116-4739           | 2           | Clamp-Switch                      | 28          | 105-1853           | 1           | Clamp-Hose              |
| 17          | 116-2833           | 1           | Harness-Switch, Reed              | 29          | 106-8268           | 1           | Cable-Battery, Red      |
| 17:1        | 135-1570           | 1           | Harness-Wire, Reed Switch         | 30          | 3253-4             | 2           | Washer-Lock 5/16        |
| 18          | 3229-1             | 1           | Bolt-Carriage 1/4-20 X 3/4        | 31          | 3220-2             | 2           | Nut-Jam 5/16-24         |
| 19          | 3296-56            | 1           | Nut-Nyloc 1/4-20 Thin             | 32          | 32128-33           | 1           | Nut-Whizlock 1/4-20     |
| 20          | 135-2487           | 1           | Harness, Wire ●                   | 33          | 117-2781           | 1           | Grommet                 |
| 20:6        | 109103             | 1           | Fuse-Blade, 30 Amp                | 34          | 103-2106           | 1           | Key-Exmark Logo         |
| 20:7        | 109102             | 1           | Fuse-Blade, 25 Amp                | 35          | 1-303287           | 3           | Tie-Cable 5 1/2 (Small) |
| 20:8        | 218-578            | 1           | Fuse-Blade, 10 Amp                | 36          | 116-4388           | 2           | Plate-Spacer            |

● Use dielectric grease on all unsealed connectors and terminals only. Do not apply in sealed connectors.

**Notes:**

**Notes:**

**Notes:**



# MAXIMIZE THE PERFORMANCE OF YOUR EXMARK MACHINE.



## EXMARK® PREMIUM ENGINE OIL

Exmark now offers a family of engine oil viscosities to perform well in any environment. Each viscosity has the same synthetic formulation to give you what you need in punishing conditions. We designed each grade to the highest quality, making it ideal even for diesel applications. Coupled with Exmark Premium Fuel Treatment, we have the performance products to make your machine hum.

### EXMARK PREMIUM ENGINE OIL SAE 30/10W-30

- Meets zero shear requirements of a straight grade SAE 30 as well as the cold temp properties of a 10W-30.
- Most versatile oil in the industry.
- Superior corrosion protection over conventional oil - even in corrosive, humid environments.

### EXMARK PREMIUM ENGINE OIL SAE 20W-50

- Perfect for your big block engine, or any application in severe service.
- Same full synthetic formulation as all other Exmark Premium viscosities.
- Also effective for use in severe service small block engines.

### EXMARK PREMIUM ENGINE OIL SAE 10W-50

- Full synthetic formulation gives you peak performance. Don't settle for less.
- Wide span multi-grade combines easy starting in cold weather with maximum protection in high temperature operation.
- Reduce friction & wear over standard mineral formulations.

### EXMARK PREMIUM ENGINE OIL SAE 0W-40

- The perfect choice for when the weather turns cold or unpredictable, and your Exmark UTV has to perform.
- Commercial quality for severe service.
- Advanced additive package helps prevent corrosion from long-term storage.

### EXMARK PREMIUM ENGINE OIL UTV FORMULATION

- 4-cycle high-temp formulation.
- Heavier viscosity, full synthetic, perfect for your UTV.

### EXMARK PREMIUM UTV EXTREME CONDITIONS GEAR OIL

- SAE 80W-90, designed to keep your UTV performing at its peak.
- Shear stable, hypoid gear lube.
- Includes a premium additive system to combat wear, oxidation, rust & corrosion.

***Available from your local Exmark dealer. Find your closest dealer at [exmark.com](http://exmark.com)***

## EXMARK ACCESSORIES AND OPTIONS\*

### MID-MOUNT RIDING ACCESSORIES AND OPTIONS

|                                    |                                 |
|------------------------------------|---------------------------------|
| CUSTOM RIDE SEAT SUSPENSION SYSTEM | OPERATOR CONTROLLED DISCHARGE   |
| FULL SUSPENSION SEAT               | SUN SHADE                       |
| DECK LIFT ASSIST KIT               | TRASH CONTAINER                 |
| HITCH KIT                          | TURF STRIPER                    |
| LIGHT KIT                          | ULTRA VAC COLLECTION SYSTEM     |
| 12V POWER PORT                     | ULTRA VAC QUICK DISPOSAL SYSTEM |
| MICRO-MULCH SYSTEM                 |                                 |

### OUT-FRONT RIDING ACCESSORIES AND OPTIONS

|                                    |                                 |
|------------------------------------|---------------------------------|
| CUSTOM RIDE SEAT SUSPENSION SYSTEM | SNOW BLADE                      |
| DUAL-TAIL WHEEL                    | SNOWBLOWER                      |
| FLOOR PAN EXTENDER                 | SUN SHADE                       |
| HITCH KIT                          | TRASH CONTAINER                 |
| LIGHT KIT                          | ULTRA VAC COLLECTION SYSTEM     |
| MICRO-MULCH SYSTEM                 | ULTRA VAC QUICK DISPOSAL SYSTEM |
| ROLL OVER PROTECTION SYSTEM (ROPS) | WEATHER CAB                     |

### WALK-BEHIND ACCESSORIES AND OPTIONS

|                    |              |
|--------------------|--------------|
| GRASS CATCHER      | TURF STRIPER |
| MICRO-MULCH SYSTEM | STANDON      |

\*Some accessories and options not available for some models.

Place Model No. and Serial No.  
Label Here (Included in the Literature  
Pack) or Fill in Below

Model No. \_\_\_\_\_

Serial No. \_\_\_\_\_

Date Purchased \_\_\_\_\_

Engine Model No. and Spec. No. \_\_\_\_\_

Engine Serial No. (E/No) \_\_\_\_\_

© 2017 Exmark Mfg. Co., Inc.  
Industrial Park Box 808  
Beatrice, NE 68310  
All Rights Reserved

Part No. 4503-555 Rev. A  
(402) 223-6375  
Fax (402) 223-5489  
Printed in the USA.



[www.exmark.com](http://www.exmark.com)